

**DIRECTORATE GENERAL OF PEST WARNING & QUALITY
CONTROL OF PESTICIDES PUNJAB, LAHORE.**

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 1st WEEK OF AUGUST, 2026

SUMMARY

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MULTAN	60	259	0.0	1.7	0.0	0.0	0.0	0.0	0.0	100.0	98.3	100.0	0.0	0.0	96.7	0.0	0.0	0.0	0.0	0.0	6.7	0.0	1.7	2.3	0.0	0.0
SHUJABAD	65	341	0.0	4.6	0.0	3.1	0.0	0.0	1.5	100.0	95.4	100.0	0.0	0.0	87.7	0.0	1.5	0.0	0.0	0.0	12.3	0.0	6.2	2.9	0.0	0.0
JALAL PUR P.W	77	366	0.0	0.0	0.0	2.6	0.0	0.0	2.6	100.0	100.0	100.0	0.0	0.0	75.3	0.0	2.6	0.0	0.0	0.0	3.9	0.0	7.8	7.7	0.0	0.0
KHANEWAL	87	412	1.1	0.0	0.0	0.0	0.0	0.0	0.0	98.9	100.0	95.4	0.0	0.0	19.5	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0	0.0	0.0	0.0
JAHANIAN	71	253	1.4	0.0	0.0	0.0	0.0	0.0	0.0	95.8	88.7	66.2	0.0	0.0	40.8	0.0	0.0	0.0	0.0	0.0	8.5	0.0	1.4	5.9	0.0	0.0
KABIR WALA	56	228	0.0	1.8	0.0	3.6	0.0	0.0	0.0	100.0	98.2	64.3	0.0	0.0	62.5	0.0	0.0	0.0	0.0	0.0	19.6	0.0	0.0	0.0	0.0	0.0
MIAN CHANNU	100	370	2.0	0.0	0.0	2.0	0.0	0.0	0.0	98.0	100.0	100.0	0.0	0.0	43.0	0.0	3.0	0.0	0.0	0.0	13.0	0.0	0.0	0.0	0.0	0.0
VEHARI	131	413	0.8	1.5	0.0	2.3	0.0	0.0	0.0	99.2	98.5	100.0	0.0	0.0	81.7	0.0	0.0	0.0	0.0	0.0	10.7	0.0	0.8	0.5	0.0	0.0
MAILSI	124	604	0.0	4.8	0.0	0.0	0.0	0.0	0.0	100.0	95.2	100.0	0.0	0.0	89.5	0.0	1.6	0.0	0.0	0.0	12.9	0.0	0.8	0.2	0.0	0.0
BURE WALA	100	326	2.0	1.0	0.0	1.0	0.0	0.0	0.0	98.0	99.0	100.0	0.0	0.0	64.0	0.0	1.0	0.0	0.0	0.0	9.0	0.0	1.0	0.6	0.0	0.0
LODHRAN	130	671	0.0	0.0	0.0	3.8	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	80.0	0.0	0.8	0.0	0.0	0.0	12.3	0.0	3.1	4.0	0.0	0.0
DUYAPUR	93	508	0.0	0.0	0.0	3.2	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	35.5	0.0	0.0	0.0	0.0	0.0	5.4	0.0	1.1	4.9	0.0	0.0
KEHROR PACCA	70	311	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	97.1	0.0	0.0	0.0	0.0	0.0	12.9	0.0	0.0	0.0	0.0	0.0
SAHIWAL	85	185	2.4	4.7	0.0	0.0	0.0	0.0	0.0	97.6	95.3	100.0	0.0	0.0	37.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHICHA WATNI	75	191	2.7	5.3	0.0	0.0	0.0	0.0	0.0	97.3	94.7	100.0	0.0	0.0	38.7	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0
PAK PATTAN	38	122	2.6	5.3	0.0	2.6	0.0	0.0	0.0	97.4	94.7	100.0	0.0	0.0	36.8	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0
ARIF WALA	44	129	4.5	11.4	0.0	4.5	0.0	0.0	0.0	95.5	88.6	100.0	0.0	0.0	40.9	0.0	0.0	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.0	0.0
OKARA	22	40	0.0	9.1	0.0	4.5	0.0	0.0	0.0	100.0	90.9	100.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RENALA KHURD	34	79	2.9	5.9	0.0	0.0	0.0	0.0	0.0	97.1	94.1	100.0	0.0	0.0	82.4	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.0	0.0	0.0
DEPALPUR	16	55	0.0	6.3	0.0	0.0	0.0	0.0	0.0	100.0	93.8	100.0	0.0	0.0	93.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL PUR	99	524	1.0	2.0	0.0	2.0	0.0	0.0	0.0	99.0	98.0	100.0	0.0	0.0	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.1	0.0	0.0
A.P.EAST	102	318	2.0	4.9	0.0	2.9	0.0	0.0	0.0	98.0	95.1	100.0	0.0	0.0	41.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YAZMAN	56	317	0.0	5.4	1.8	8.9	0.0	0.0	0.0	100.0	94.6	98.2	0.0	0.0	46.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HASILPUR	116	440	2.6	0.0	0.0	2.6	0.0	0.0	0.0	97.4	100.0	100.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL NAGAR	100	579	4.0	1.0	0.0	1.0	0.0	0.0	0.0	96.0	98.0	100.0	0.0	0.0	19.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.3	0.0	0.0
HAROON ABAD	100	593	3.0	2.0	0.0	2.0	0.0	0.0	0.0	97.0	98.0	100.0	2.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.7	0.0	0.0
FORT ABBAS	100	610	3.0	3.0	0.0	1.0	0.0	0.0	0.0	97.0	97.0	100.0	1.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	1.3	0.0	0.0


%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL																										
TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MINCHAN ABAD	28	152	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHISHTIAN	60	351	3.3	0.0	1.7	1.7	0.0	0.0	0.0	96.7	100.0	98.3	3.3	0.0	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.6	0.0	0.0
R.Y.KHAN	83	550	2.4	6.0	4.8	3.6	0.0	0.0	0.0	94.0	90.4	91.6	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KHAN PUR	75	438	2.7	2.7	1.3	1.3	0.0	0.0	0.0	97.3	97.3	98.7	4.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	1.3	1.1	0.0	0.0
LIAQUAT PUR	103	606	1.0	2.9	0.0	1.0	0.0	0.0	0.0	99.0	97.1	99.0	2.9	0.0	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	2.5	0.0	0.0
SADIQ ABAD	82	449	1.2	2.4	1.2	1.2	0.0	0.0	0.0	82.9	95.1	84.1	1.2	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	2.4	1.6	0.0	0.0
D.G.KHAN	102	272	0.0	2.9	0.0	0.0	0.0	0.0	0.0	100.0	97.1	100.0	0.0	0.0	30.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.0	0.0
TAUNSA	40	238	2.5	7.5	0.0	0.0	0.0	0.0	0.0	97.5	92.5	100.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KOT CHUTTA	105	296	1.0	3.8	0.0	1.0	0.0	0.0	0.0	99.0	96.2	100.0	0.0	0.0	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.0	0.0
MUZUFAR GARH	100	342	0.0	4.0	0.0	0.0	0.0	0.0	0.0	100.0	96.0	100.0	0.0	0.0	63.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.3	0.0	0.0
KOT ADDU	100	361	2.0	6.0	1.0	0.0	0.0	0.0	0.0	98.0	94.0	99.0	0.0	0.0	55.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.0	0.0
ALI PUR	108	397	0.9	3.7	0.0	0.9	0.0	0.0	0.0	99.1	96.3	100.0	0.0	0.0	82.4	0.0	1.9	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0
JATOI	100	417	1.0	7.0	0.0	0.0	0.0	0.0	0.0	99.0	93.0	100.0	0.0	0.0	53.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	4.1	0.0	0.0
LAYYAH	60	198	8.3	11.7	3.3	0.0	0.0	0.0	0.0	53.3	73.3	56.7	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0
CHOBARA	70	106	4.3	4.3	0.0	0.0	0.0	0.0	0.0	92.9	94.3	82.9	0.0	0.0	4.3	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KAROR L.E.	75	225	5.3	6.7	0.0	0.0	0.0	0.0	0.0	94.7	93.3	73.3	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0
RAJAN PUR	140	567	1.4	0.0	0.0	0.0	0.0	0.0	0.0	98.6	100.0	96.4	0.0	0.0	6.4	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.7	0.5	0.0	0.0
JAM PUR	62	313	3.2	1.6	0.0	1.6	0.0	0.0	0.0	96.8	98.4	100.0	0.0	0.0	9.7	0.0	0.0	0.0	0.0	0.0	12.9	0.0	0.0	0.0	0.0	0.0
ROJHAN	20	65	0.0	0.0	0.0	5.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0
JHANG	20	49	0.0	0.0	0.0	5.0	0.0	0.0	0.0	70.0	35.0	5.0	0.0	0.0	15.0	0.0	5.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0
18-HAZARI	9	21	11.1	11.1	0.0	22.2	0.0	0.0	0.0	55.6	33.3	22.2	0.0	0.0	22.2	0.0	0.0	0.0	0.0	0.0	22.2	0.0	0.0	0.0	0.0	0.0
A.P SIAL	20	52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.0	40.0	20.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0
SHORKOT	28	62	0.0	7.1	0.0	3.6	0.0	0.0	0.0	50.0	42.9	14.3	0.0	0.0	17.9	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0
T.T.SINGH	64	175	0.0	1.6	0.0	0.0	0.0	0.0	0.0	100.0	98.4	92.2	0.0	0.0	68.8	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0
GOJRA	34	48	0.0	2.9	0.0	2.9	0.0	0.0	0.0	100.0	97.1	94.1	0.0	0.0	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PIR MAHAL	39	123	2.6	0.0	0.0	0.0	0.0	0.0	0.0	97.4	100.0	92.3	0.0	0.0	71.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SUMUNDRI	37	63	2.7	16.2	0.0	2.7	0.0	0.0	0.0	97.3	83.8	100.0	0.0	0.0	62.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TANDLIANWALA	45	102	2.2	6.7	0.0	0.0	0.0	0.0	0.0	97.8	93.3	100.0	0.0	0.0	82.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BHOWANA	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIANWALI	125	519	1.6	3.2	0.0	0.0	0.0	0.0	0.0	98.4	96.8	100.0	0.0	0.0	12.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0
PIPLAN	63	252	4.8	7.9	3.2	3.2	0.0	0.0	0.0	95.2	92.1	96.8	0.0	0.0	14.3	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt		
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence		
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area	
BHAKKAR	26	53.5	3.8	7.7	0.0	3.8	0.0	0.0	0.0	96.2	92.3	100.0	0.0	0.0	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MANKERA	31	54	3.2	3.2	0.0	0.0	0.0	0.0	0.0	96.8	96.8	100.0	0.0	0.0	51.6	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	
KALLOR KOT	39	121	5.1	7.7	0.0	0.0	0.0	0.0	0.0	94.9	92.3	100.0	0.0	0.0	10.3	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	
DARYA KHAN	22	31	4.5	4.5	0.0	0.0	0.0	0.0	0.0	95.5	95.5	100.0	0.0	0.0	59.1	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	
CURRENT WEEK 2026	4270	17319.5	1.8	3.3	0.3	1.4	0.0	0.0	0.1	96.5	95.2	95.0	0.4	0.0	40.2	0.0	0.4	0.0	0.0	0.0	4.2	0.0	1.1	1.2	0.0	0.0	
PREVIOUS WEEK 2026	4320	17142.5	1.8	3.5	0.3	0.8	0.0	0.0	0.1	92.3	90.7	90.1	0.4	0.0	34.7	0.0	0.2	0.0	0.0	0.0	3.4	0.0	0.9	1.0	0.0	0.0	
CURRENT WEEK 2025	5498	25475	3.1	5.9	0.6	2.6	0.0	0.0	0.0	96.3	93.7	97.1	0.3	0.0	26.0	0.0	0.3	0.0	0.1	0.0	2.3	0.0	7.3	9.5	0.2	0.2	
TOTAL 2026	4270	17319.5	75	139	13	61	0	0	3	4122	4063	4056	16	0	1715	0	17	0	1	0	179	0	45	200	0	0	
TOTAL 2025	5498	25475	171	327	32	141	0	0	2	5296	5152	5340	15	0	1427	0	15	0	6	0	126	0	400	2426	9	57	


A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



PEST SITUATION ON COTTON CROP IN PUNJAB DURING 1ST WEEK OF AUGUST, 2026

Whitefly: 1.76% above ETL spots have been observed during current week as compared to 1.83% % in last week and 3.11% during the same corresponding period of last year. And 96.5% below ETL spots have been observed during current week as compared to 92.3% in last week and 96.3% during the same corresponding week of last year.

Tehsil wise percentage of hot spots of Whitefly

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	18-HAZARI	11.1	22	PIR MAHAL	2.6
2	LAYYAH	8.3	23	TAUNSA	2.5
3	KAROR L.E.	5.3	24	R.Y.KHAN	2.4
4	KALLOR KOT	5.1	25	SAHIWAL	2.4
5	PIPLAN	4.8	26	TANDLIANWALA	2.0
6	ARIF WALA	4.5	27	MIAN CHANNU	2.0
7	DARYA KHAN	4.5	28	BURE WALA	2.0
8	CHOBARA	4.3	29	KOT ADDU	2.0
9	BAHAWAL NAGAR	4.0	30	A.P.EAST	2.0
10	BHAKKAR	3.8	31	MIANWALI	1.6
11	CHISHTIAN	3.3	32	RAJAN PUR	1.4
12	JAM PUR	3.2	33	JAHANIAN	1.4
13	MANKERA	3.2	34	SADIQ ABAD	1.2
14	HAROON ABAD	3.0	35	KHANEWAL	1.1
15	FORT ABBAS	3.0	36	BAHAWAL PUR	1.0
16	RENALA KHURD	2.9	37	JATOI	1.0
17	SUMUNDRI	2.7	38	LIAQUAT PUR	1.0
18	CHICHA WATNI	2.7	39	KOT CHUTTA	1.0
19	KHAN PUR	2.7	40	ALI PUR	0.9
20	PAK PATTAN	2.6	41	VEHARI	0.8
21	HASILPUR	2.6			

Jassid: 3.26% above ETL spots has been observed as compared to 3.50% in last week and same week of last year 5.95%. And 95.2% below ETL spots have been observed during current week as compared to 90.7% in last week and 93.7% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Jassid

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	SUMUNDRI	16.2	24	SHUJABAD	4.6
2	LAYYAH	11.7	25	DARYA KHAN	4.5
3	ARIF WALA	11.4	26	CHOBARA	4.3
4	18-HAZARI	11.1	27	MUZUFAR GARH	4.0
5	OKARA	9.1	28	KOT CHUTTA	3.8
6	PIPLAN	7.9	29	ALI PUR	3.7

7	KALLOR KOT	7.7	30	MANKERA	3.2
8	BHAKKAR	7.7	31	MIANWALI	3.2
9	TAUNSA	7.5	32	FORT ABBAS	3.0
10	SHORKOT	7.1	33	D.G.KHAN	2.9
11	JATOI	7.0	34	GOJRA	2.9
12	KAROR L.E.	6.7	35	LIAQUAT PUR	2.9
13	DEPALPUR	6.3	36	KHAN PUR	2.7
14	TANDLIANWALA	6.1	37	SADIQ ABAD	2.4
15	R.Y.KHAN	6.0	38	BAHAWAL PUR	2.0
16	KOT ADDU	6.0	39	HAROON ABAD	2.0
17	RENALA KHURD	5.9	40	KABIR WALA	1.8
18	YAZMAN	5.4	41	MULTAN	1.7
19	CHICHA WATNI	5.3	42	JAM PUR	1.6
20	PAK PATTAN	5.3	43	T.T.SINGH	1.6
21	A.P.EAST	4.9	44	VEHARI	1.5
22	MAILSI	4.8	45	BAHAWAL NAGAR	1.0
23	SAHIWAL	4.7	46	BURE WALA	1.0

Thrips: 0.30% above ETL spots has been observed as compared to 0.28% during last week and for corresponding week of last year the infestation was 0.58%, while 95.0% below ETL spots have been observed during current week as compared to 90.1% in last week and 97.1% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Thrips

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	R.Y.KHAN	4.8	5	CHISHTIAN	1.7
2	LAYYAH	3.3	6	KHAN PUR	1.3
3	PIPLAN	3.2	7	SADIQ ABAD	1.2
4	YAZMAN	1.8	8	KOT ADDU	1.0

Mealy Bug: 1.43% AETL spots of Mealy Bug have been observed as compared to 0.83% during last week and 2.56% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	18-HAZARI	22.2	18	PAK PATTAN	2.6
2	YAZMAN	8.9	19	JALAL PUR P.W	2.6
3	ROJHAN	5.0	20	HASILPUR	2.6
4	JHANG	5.0	21	VEHARI	2.3
5	ARIF WALA	4.5	22	BAHAWAL PUR	2.0
6	OKARA	4.5	23	HAROON ABAD	2.0
7	BHAKKAR	3.8	24	MIAN CHANNU	2.0
8	LODHRAN	3.8	25	CHISHTIAN	1.7
9	R.Y.KHAN	3.6	26	JAM PUR	1.6
10	SHORKOT	3.6	27	KHAN PUR	1.3
11	KABIR WALA	3.6	28	SADIQ ABAD	1.2
12	DUYAPUR	3.2	29	FORT ABBAS	1.0
13	PIPLAN	3.2	30	BAHAWAL NAGAR	1.0

14	SHUJABAD	3.1	31	BURE WALA	1.0
15	A.P.EAST	2.9	32	LIAQUAT PUR	1.0
16	GOJRA	2.9	33	KOT CHUTTA	1.0
17	SUMUNDRI	2.7	34	ALI PUR	0.9

Pink Boll Worm: 0.40% above ETL spots have been observed as compared to 0.16% in last week and 0.27% same corresponding period of the last year. And 4.19% below ETL spots have been observed as compared to 3.38% in last week and 2.19% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	JHANG	5.0	7	CHOBARA	1.4
2	MIAN CHANNU	3.0	8	KHAN PUR	1.3
3	JALAL PUR P.W	2.6	9	SADIQ ABAD	1.2
4	ALI PUR	1.9	10	BURE WALA	1.0
5	MAILSI	1.6	11	KOT ADDU	1.0
6	SHUJABAD	1.5	12	LODHRAN	0.8

Armyworm: 0.02% spots (all considered above ETL) of Armyworm have been observed as compared to 0.02% in last week and 0.11% spots during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of Armyworm

S. NO.	TEHSIL	%AGE
1	BAHAWAL NAGAR	1.0

Wilt: 0.0% spots (all considered above ETL) of Wilt have been observed as compared to 0.0% in last week and 0.2% during the same corresponding period of the last year.

CLCuV: 1.05% spots (all considered above ETL) of CLCV have been observed as compared to 0.93% in last week and 7.28% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	JALAL PUR P.W	7.8	13	DUYAPUR	1.1
2	SHUJABAD	6.2	14	BAHAWAL NAGAR	1.0
3	JATOI	6.0	15	BURE WALA	1.0
4	LIAQUAT PUR	3.9	16	KOT ADDU	1.0
5	LODHRAN	3.1	17	HAROOON ABAD	1.0
6	SADIQ ABAD	2.4	18	FORT ABBAS	1.0
7	BAHAWAL PUR	2.0	19	D.G.KHAN	1.0

8	MUZUFAR GARH	2.0	20	KOT CHUTTA	1.0
9	CHISHTIAN	1.7	21	MAILSI	0.8
10	MULTAN	1.7	22	VEHARI	0.8
11	JAHANIAN	1.4	23	RAJAN PUR	0.7
12	KHAN PUR	1.3			

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	40.2	31.4	55.1	15.7	40.3	30.4	55.2	13.4
Khanewal	37.7	30.0	61.4	19.3	39.4	29.5	60.9	4.8
Vehari	38.6	30.1	62.9	7.4	37.1	28.9	62.0	2.7
Lodhran	36.3	25.2	67.0	23.0	37.1	27.3	65.7	5.3
Okara	37.1	28.2	73.4	5.7	36.1	28.8	74.0	9.6
Sahiwal	36.8	29.5	67.5	0.0	33.7	27.5	76.5	10.8
Pakpattan	38.5	29.0	68.0	6.0	38.4	26.5	72.2	1.0
Bahawalpur	38.9	30.1	69.2	8.0	38.9	29.0	61.4	11.4
Bahawalnagar	33.7	28.6	70.7	11.2	37.6	28.3	69.2	84.2
R.Y.Khan	40.3	30.7	55.9	4.0	35.1	26.6	63.3	3.5
D.G. Khan	39.0	29.8	65.0	4.0	40.2	30.5	64.0	2.0
M.Garh	37.6	30.4	68.6	0.0	38.4	30.0	67.5	11.9
Rajanpur	40.4	29.7	60.5	0.0	40.1	28.0	66.9	3.2
Layyah	39.0	30.0	70.0	5.0	42.0	31.0	50.0	5.0
COTTON ZONE AVERAGE	38.15	29.48	65.37	-	38.17	28.74	64.91	-

Weather forecast for next 7 day in cotton zone

Division	Dated	5/8	6/8	7/8	8/8	9/8	10/8	11/8
Multan	Max.Temp.	41	42	37	38	39	39	39
	Min.Temp.	31	32	30	31	31	31	31
	Rainfall mm	1.1	0	0	0	0	0	0
Sahiwal	Max.Temp.	38	40	35	36	36	36	36
	Min.Temp.	30	30	28	29	29	30	30
	Rainfall mm	0	2.2	0	0	0	0	0
Bahawalpur	Max.Temp.	39	40	36	38	38	38	38
	Min.Temp.	30	30	28	29	29	29	29
	Rainfall mm	4.3	0	0	0	0	0	0
D.G.Khan	Max.Temp.	40	42	37	38	38	38	39
	Min.Temp.	30	31	30	30	30	31	31
	Rainfall mm	0	0	0	0	0.1	0	0
Average Cotton Zone	Max.Temp.	38.3						
	Min.Temp.	30.0						
	Rainfall mm	0.3						

Source: timeanddate.com & [Accuweather](https://www.accuweather.com)

Summary of weather forecast

Mostly mild hot, shiny weather with some scattered rains are expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 4th Week July & 1st week August 2026, cotton pest scouting reports revealed that its population increase due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather conditions & prevailing crop growth stage infestation of this pest will increase during the coming week.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40 °C with relative humidity below 60%. Based on current & next week dry weather conditions & prevailing crop growth stage it is predicted that population of this pest will decrease during the coming week.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast population suggests that its population will increase.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 4th week of July & 1st week August 2026 reports, Based on current & next week weather

conditions & prevailing crop growth stage so it is predicted that population of this pest will increase during coming week.

CLCuV: The symptoms of this disease increasing as compared to previous week on susceptible varieties due to increasing whitefly population.

Wilt: The symptoms of this disease may expected to sustain due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:-

Chemical Control of Thrips Sucking Insect Pests (Whitefly, Jassid & Thrips)
--

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.
4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.
7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.
10. Spray pesticides preferably in the evening time

Sr. No.	Name of Pesticides	Dose Per Acre
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Jassids		
Sr. No.	Name of Pesticides	Name of Pesticides
1	Pymetrozine + Dinotefuran 60% WG	100 g
2	Flupyradifurone 200 SC	300 ML
3	Flonicamid 75% WDG	60 g
4	Dinotefuran 20 SG	100 g
5	Abamectin + Thiamethoxam 108 SC	300 mL
6	Nitenpyram 10% AS	200 mL
7	Isocycloseram 100 DC	80 mL
8	Acephate 75 SP	250–300 g
9	Pyriproxifen + Flonicamid 13.5% SC	400 ml

Chemical Control of Whitefly		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Pyriproxyfen 10.8 EC (IGR)	500 mL
2	Spirotetramat 240 SC + Bio Power (IGR)	250 mL + 125 mL
3	Buprofezin 25 WP (IGR)	600 g
4	Pyrafluquinazon 20% WG	200 g
5	Afidopyropen 5% DC	300 mL
6	Spiropidion + Acetamiprid 54% WG	200 g
7	Flonicamid + Spirotetramat 18 WP	200 g
8	Dinotefuran + Spirotetramat 20% SC	250 mL
9	Flonicamid 75% WDG	60 g
10	Abamectin + Flonicamid 15.6% WG	150 g
11	Pyriproxifen + Flonicamid 13.5% SC	400 ml

