

A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



DIRECTORATE GENERAL OF PEST WARNING & QUALITY CONTROL OF PESTICIDES PUNJAB, LAHORE.

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 1ST WEEK OCT. 2026

SUMMARY

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %															BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL								BELOW ETL							ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MULTAN	78	313	0.0	0.0	0.0	5.1	0.0	0.0	3.8	0.0	71.8	44.9	25.6	0.0	0.0	96.2	0.0	0.0	11.5	0.0	0.0	0.0	19.2	0.0	0.0	0.0	0.0	0.0
SHUJABAD	87	449	0.0	0.0	0.0	8.0	0.0	0.0	6.9	0.0	65.5	48.3	28.7	0.0	0.0	87.4	8.0	0.0	5.7	0.0	0.0	0.0	11.5	0.0	0.0	0.0	0.0	0.0
JALAL PUR P.W	101	467	0.0	0.0	0.0	5.9	0.0	0.0	5.0	0.0	61.4	43.6	30.7	0.0	0.0	95.0	0.0	0.0	5.9	0.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	0.0
KHANEWAL	61	300	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	41.0	36.1	18.0	0.0	0.0	68.9	0.0	0.0	0.0	0.0	0.0	0.0	8.2	0.0	0.0	0.0	0.0	0.0
JAHANIAN	59	198	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	54.2	40.7	20.3	0.0	0.0	66.1	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
KABIR WALA	30	109	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	53.3	30.0	0.0	0.0	100.0	0.0	0.0	3.3	0.0	0.0	0.0	13.3	0.0	0.0	0.0	0.0	0.0
MIAN CHANNU	59	265	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	67.8	52.5	32.2	0.0	0.0	100.0	0.0	0.0	1.7	0.0	0.0	0.0	11.9	0.0	1.7	1.9	0.0	0.0
VEHARI	77	194	0.0	0.0	0.0	1.3	0.0	0.0	1.3	0.0	57.1	31.2	19.5	0.0	0.0	98.7	0.0	0.0	1.3	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0
MAILSI	70	198	0.0	0.0	0.0	2.9	0.0	0.0	2.9	0.0	100.0	100.0	28.6	0.0	0.0	97.1	0.0	0.0	2.9	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0
BURE WALA	50	188	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	88.0	50.0	28.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0
LODHRAN	189	1027	0.0	0.0	0.0	3.2	0.0	0.0	1.6	0.0	87.3	91.0	57.1	0.0	0.0	98.4	0.0	0.0	2.1	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0
DUYAPUR	116	765	0.0	0.0	0.0	6.0	0.0	0.0	0.9	0.0	85.3	91.4	45.7	0.0	0.0	99.1	0.0	0.0	1.7	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	0.0
KEHROR PACCA	58	93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.9	69.0	31.0	0.0	0.0	100.0	0.0	0.0	1.7	0.0	0.0	0.0	6.9	0.0	0.0	0.0	0.0	0.0
SAHIWAL	70	160	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	30.0	48.6	21.4	0.0	0.0	34.3	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0
CHICHA WATNI	28	92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	53.6	25.0	0.0	0.0	42.9	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0
PAK PATTAN	29	101	0.0	0.0	0.0	6.9	0.0	0.0	0.0	0.0	100.0	100.0	20.7	0.0	0.0	37.9	0.0	0.0	0.0	0.0	0.0	0.0	13.8	0.0	3.4	2.0	0.0	0.0
ARIF WALA	58	150	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	86.2	81.0	25.9	0.0	0.0	37.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
OKARA	22	33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	63.6	100.0	0.0	0.0	90.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RENALA KHURD	30	77	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	100.0	63.3	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DEPALPUR	19	59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	47.4	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL PUR	137	789	0.0	0.0	0.0	13.1	0.0	0.0	13.1	0.0	94.9	50.4	32.8	0.0	0.0	86.9	10.9	0.0	1.5	0.0	0.0	0.0	10.9	0.0	0.0	0.0	0.0	0.0
A.P.EAST	132	746	0.0	0.0	0.0	15.9	0.0	0.0	9.1	0.0	97.0	50.0	33.3	0.0	0.0	90.9	4.5	0.0	0.0	0.0	0.0	0.0	15.2	0.0	1.5	2.3	0.0	0.0
YAZMAN	100	796	2.0	0.0	0.0	17.0	0.0	0.0	6.0	0.0	93.0	49.0	33.0	0.0	0.0	92.0	11.0	0.0	3.0	0.0	0.0	0.0	16.0	0.0	0.0	0.0	0.0	0.0
HASILPUR	120	479	1.7	0.0	0.0	5.8	0.0	0.0	1.7	0.0	91.7	50.0	33.3	0.0	0.0	98.3	15.8	0.0	0.8	0.0	0.0	0.0	0.8	0.0	0.8	0.6	4.2	2.7
BAHAWAL NAGAR	110	650	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	96.4	49.1	32.7	0.0	0.0	42.7	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0
HAROON ABAD	105	604	0.0	0.0	0.0	1.9	0.0	0.0	1.0	0.0	96.2	50.5	33.3	0.0	0.0	63.8	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0
FORT ABBAS	115	793	0.9	0.0	0.0	4.3	0.0	0.0	0.9	0.0	93.9	52.2	34.8	0.0	0.0	58.3	0.0	0.0	1.7	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.9	0.8
MINCHAN ABAD	30	164	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	86.7	50.0	33.3	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHISHTIAN	72	390	0.0	0.0	0.0	2.8	0.0	0.0	2.8	0.0	94.4	50.0	30.6	0.0	0.0	48.6	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0
R.Y.KHAN	80	452	0.0	0.0	0.0	6.3	0.0	0.0	1.3	0.0	91.3	50.0	31.3	0.0	0.0	36.3	0.0	0.0	2.5	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0
KHAN PUR	112	593	4.5	0.0	0.0	8.0	0.0	0.0	0.9	0.0	90.2	50.0	33.9	0.0	0.0	33.9	0.0	0.0	2.7	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0
LIAQUAT PUR	120	725	0.8	0.0	0.0	4.2	0.0	0.0	0.8	0.0	96.7	52.5	35.0	0.0	0.0	25.8	0.0	0.0	0.8	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0
SADIQ ABAD	138	869	3.6	0.0	0.0	4.3	0.0	0.0	0.7	0.0	93.5	50.0	33.3	0.0	0.0	36.2	0.0	0.0	1.4	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %															BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL								BELOW ETL							ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
D.G.KHAN	135	365	0.7	0.0	0.0	5.2	0.0	0.0	0.0	0.0	99.3	100.0	100.0	0.0	0.0	28.9	0.0	0.0	0.0	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	0.0
TAUNSA	120	853	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	20.8	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0
KOT CHUTTA	105	322	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	55.2	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
MUZUFAR GARH	120	333	0.0	0.0	0.0	4.2	0.0	0.0	0.8	0.0	88.3	84.2	81.7	0.0	0.0	100.0	0.0	0.0	1.7	0.0	0.0	0.0	3.3	0.0	0.8	0.3	0.0	0.0
KOT ADDU	120	423	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	90.8	90.8	89.2	0.0	0.0	99.2	0.0	0.0	1.7	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
ALI PUR	120	380	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	88.3	81.7	82.5	0.0	0.0	100.0	0.0	0.0	1.7	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0
JATOI	120	448	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	86.7	80.8	80.8	0.0	0.0	100.0	0.0	0.0	0.8	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0
LAYYAH	55	169	3.6	0.0	0.0	3.6	0.0	0.0	0.0	0.0	92.7	61.8	45.5	0.0	0.0	41.8	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0
CHOBARA	90	135	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	96.7	96.7	57.8	0.0	0.0	18.9	0.0	0.0	1.1	0.0	0.0	0.0	5.6	0.0	1.1	0.7	0.0	0.0
KAROR L.E.	133	288	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	76.7	56.4	41.4	0.0	0.0	15.8	0.0	0.0	2.3	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.0
RAJAN PUR	78	249	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.7	26.9	0.0	0.0	0.0	34.6	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0
JAM PUR	35	92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	8.6	0.0	0.0	0.0	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ROJHAN	10	40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	20.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JHANG	15	33	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	13.3	6.7	0.0	0.0	0.0	46.7	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
18-HAZARI	13	16	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	23.1	7.7	0.0	0.0	0.0	38.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A.P SIAL	11	17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	0.0	0.0	0.0	0.0	36.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SHORKOT	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
T.T.SINGH	38	88	0.0	0.0	0.0	2.6	0.0	0.0	2.6	0.0	71.1	55.3	15.8	0.0	0.0	86.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GOJRA	6	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	50.0	50.0	0.0	0.0	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PIR MAHAL	24	98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.5	54.2	16.7	0.0	0.0	62.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SUMUNDRI	21	26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.4	52.4	66.7	0.0	0.0	71.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TANDLIANWALA	16	26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	62.5	68.8	0.0	0.0	56.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIANWALI	107	428	0.9	0.0	0.0	1.9	0.0	0.0	4.7	7.5	99.1	100.0	100.0	0.0	0.0	95.3	29.0	0.0	0.0	0.0	0.0	0.0	9.3	0.0	0.0	0.0	0.0	0.0
PIPLAN	95	326	0.0	0.0	0.0	2.1	0.0	0.0	2.1	9.5	100.0	100.0	100.0	0.0	0.0	97.9	43.2	0.0	1.1	0.0	0.0	0.0	16.8	0.0	1.1	0.9	0.0	0.0
BHAKKAR	42	92	0.0	0.0	0.0	2.4	0.0	0.0	7.1	0.0	100.0	100.0	100.0	0.0	0.0	92.9	0.0	0.0	2.4	0.0	0.0	0.0	4.8	0.0	2.4	3.3	0.0	0.0
MANKERA	35	59	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	100.0	100.0	100.0	0.0	0.0	97.1	0.0	0.0	5.7	0.0	0.0	0.0	8.6	0.0	2.9	3.4	0.0	0.0
KALLOR KOT	39	118	0.0	0.0	0.0	2.6	0.0	0.0	5.1	0.0	100.0	100.0	100.0	0.0	0.0	94.9	0.0	0.0	7.7	0.0	0.0	0.0	5.1	0.0	5.1	5.1	0.0	0.0
DARYA KHAN	40	73	0.0	0.0	0.0	2.5	0.0	0.0	5.0	0.0	100.0	100.0	100.0	0.0	0.0	95.0	0.0	0.0	2.5	0.0	0.0	0.0	7.5	0.0	2.5	4.1	0.0	0.0
CURRENT WEEK 2026	**4407**	**18798**	**0.5**	**0.0**	**0.0**	**4.2**	**0.0**	**0.0**	**2.0**	**0.4**	**84.6**	**66.1**	**50.2**	**0.0**	**0.0**	**69.7**	**2.9**	**0.0**	**1.5**	**0.0**	**0.0**	**0.0**	**6.3**	**0.0**	**0.3**	**0.2**	**0.1**	**0.1**
PREVIOUS WEEK 2026	**4715**	**20323.5**	**1.2**	**0.2**	**0.0**	**5.2**	**0.0**	**0.0**	**1.3**	**0.0**	**94.3**	**92.6**	**65.0**	**0.0**	**0.0**	**63.9**	**1.4**	**0.0**	**1.7**	**0.0**	**0.0**	**0.0**	**5.9**	**0.0**	**0.2**	**0.3**	**0.1**	**0.2**
CURRENT WEEK 2025	**2864**	**12790**	**0.1**	**0.1**	**0.0**	**3.2**	**0.0**	**0.0**	**3.3**	**0.0**	**85.9**	**88.7**	**72.4**	**0.0**	**0.0**	**63.2**	**0.0**	**0.0**	**1.9**	**0.0**	**0.0**	**0.0**	**13.9**	**0.0**	**0.5**	**0.4**	**0.0**	**0.0**
TOTAL 2026	**4407**	**18798**	**20**	**1**	**0**	**187**	**0**	**0**	**86**	**17**	**3730**	**2913**	**2214**	**0**	**0**	**3071**	**130**	**0**	**67**	**0**	**0**	**0**	**278**	**0**	**13**	**46**	**6**	**19**
TOTAL 2025	**2864**	**12790**	**2**	**4**	**0**	**93**	**0**	**0**	**95**	**0**	**2460**	**2540**	**2074**	**1**	**0**	**1811**	**0**	**0**	**53**	**0**	**1**	**0**	**397**	**0**	**15**	**51**	**0**	**0**

PEST SITUATION ON COTTON CROP IN PUNJAB DURING 1ST WEEK OF OCTOBER, 2026

Whitefly: 0.45% above ETL spots have been observed during current week as compared to 1.19% in last week and 0.07% during the same corresponding period of last year. And 84.6% below ETL spots have been observed during current week as compared to 94.3% in last week and 85.8% during the same corresponding week of last year.

Tehsil wise percentage of hot spots of Whitefly

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	KHAN PUR	4.5	6	MIANWALI	0.9
2	LAYYAH	3.6	7	FORT ABBAS	0.9
3	SADIQ ABAD	3.6	8	LIAQUAT PUR	0.8
4	YAZMAN	2.0	9	D.G.KHAN	0.7
5	HASILPUR	1.7			

Jassid: 0.02% above ETL spots has been observed as compared to 0.17% in last week and same week of last year 0.14%. And 66.1% below ETL spots have been observed during current week as compared to 92.6% in last week and 88.6% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Jassid

S. NO.	TEHSIL	%AGE
1	RENALA KHURD	3.3

Thrips: 0.00% above ETL spots has been observed as compared to 0.0% during last week and for corresponding week of last year the infestation was 0.00%, while 50.2% below ETL spots have been observed during current week as compared to 64.9% in last week and 72.4% during the same corresponding period of last year.

Mealy Bug: 4.24% AETL spots of Mealy Bug have been observed as compared to 5.24% during last week and 3.25% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	YAZMAN	17.0	22	MIAN CHANNU	3.4
2	A.P.EAST	15.9	23	TAUNSA	3.3
3	BAHAWAL PUR	13.1	24	ALI PUR	3.3
4	SHUJABAD	8.0	25	LODHRAN	3.2
5	KHAN PUR	8.0	26	MAILSI	2.9
6	18-HAZARI	7.7	27	CHISHTIAN	2.8
7	PAK PATTAN	6.9	28	T.T.SINGH	2.6
8	JHANG	6.7	29	KALLOR KOT	2.6

9	R.Y.KHAN	6.3	30	KOT ADDU	2.5
10	DUYAPUR	6.0	31	DARYA KHAN	2.5
11	JALAL PUR P.W	5.9	32	BHAKKAR	2.4
12	HASILPUR	5.8	33	KAROR L.E.	2.3
13	D.G.KHAN	5.2	34	PIPLAN	2.1
14	MULTAN	5.1	35	BURE WALA	2.0
15	KOT CHUTTA	4.8	36	HAROON ABAD	1.9
16	FORT ABBAS	4.3	37	MIANWALI	1.9
17	SADIQ ABAD	4.3	38	ARIF WALA	1.7
18	LIAQUAT PUR	4.2	39	KHANEWAL	1.6
19	MUZUFAR GARH	4.2	40	SAHIWAL	1.4
20	JATOI	4.2	41	VEHARI	1.3
21	LAYYAH	3.6	42	CHOBARA	1.1

Pink Boll Worm: 1.52% above ETL spots have been observed as compared to 1.68% in last week and 1.85% same corresponding period of the last year. And 6.31% below ETL spots have been observed as compared to 5.87 last week and 13.86% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	MULTAN	11.5	16	DUYAPUR	1.7
2	KALLOR KOT	7.7	17	KEHROR PACCA	1.7
3	JALAL PUR P.W	5.9	18	MIAN CHANNU	1.7
4	SHUJABAD	5.7	19	MUZUFAR GARH	1.7
5	MANKERA	5.7	20	KOT ADDU	1.7
6	KABIR WALA	3.3	21	ALI PUR	1.7
7	YAZMAN	3.0	22	BAHAWAL PUR	1.5
8	MAILSI	2.9	23	SADIQ ABAD	1.4
9	KHAN PUR	2.7	24	VEHARI	1.3
10	R.Y.KHAN	2.5	25	CHOBARA	1.1
11	DARYA KHAN	2.5	26	PIPLAN	1.1
12	BHAKKAR	2.4	27	HASILPUR	0.8
13	KAROR L.E.	2.3	28	LIAQUAT PUR	0.8
14	LODHRAN	2.1	29	JATOI	0.8
15	FORT ABBAS	1.7			

Armyworm: 0.00% spots (all considered above ETL) of Armyworm have been observed as compared to 0.00% in last week and 0.03% spots during the same corresponding period of the last year.

Wilt: 0.1% spots (all considered above ETL) of Wilt have been observed as compared to 0.1% in last week and 0.0% during the same corresponding period of the last year.

CLCuV: On 0.29% spots (all considered above ETL) of CLCV have been observed as compared to 0.19% in last week and 0.52% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	KALLOR KOT	5.1	6	MIAN CHANNU	1.7
2	PAK PATTAN	3.4	7	A.P.EAST	1.5
3	MANKERA	2.9	8	CHOBARA	1.1
4	DARYA KHAN	2.5	9	PIPLAN	1.1
5	BHAKKAR	2.4	10	HASILPUR	0.8

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	37.2	26.8	52.2	0.0	37.7	28.3	68.1	0.0
Khanewal	36.1	24.3	56.3	2.0	37.1	26.3	64.4	0.0
Vehari	36.7	25.4	51.8	1.0	38.0	26.3	61.5	0.0
Lodhran	35.6	25.6	65.6	4.0	37.0	26.0	66.1	0.0
Okara	37.1	24.5	65.0	18.8	37.4	25.6	69.7	0.0
Sahiwal	37.5	24.2	63.0	6.5	37.1	26.1	70.2	0.0
Pakpattan	37.0	24.0	64.7	5.7	36.8	25.2	69.5	0.0
Bahawalpur	36.0	26.0	61.4	0.2	37.7	27.6	63.2	0.2
Bahawalnagar	37.5	24.9	52.7	0.0	37.8	25.5	68.1	0.2
R.Y.Khan	36.6	24.3	54.3	0.0	37.5	26.5	52.2	0.0
D.G. Khan	37.5	26.8	61.0	0.0	38.5	28.7	59.3	0.0
M.Garh	35.9	25.6	62.6	3.9	37.6	28.0	51.1	0.0
Rajanpur	38.4	27.7	60.4	0.0	39.0	29.0	58.5	0.0
Layyah	34.0	23.0	60.0	0.0	37.5	25.0	48.0	0.0
COTTON ZONE AVERAGE	**36.64**	**25.22**	**59.35**	**-**	**37.62**	**26.71**	**62.13**	**-**

Weather forecast for next 7 day in cotton zone

Division	Dated	6/10	7/10	8/10	9/10	10/10	11/10	12/10
Multan	**Max.Temp.**	38	38	39	38	37	38	39
	Min.Temp.	27	26	25	25	23	24	25
	Rainfall mm	0	0	0	0	0	1.2	0.2
Sahiwal	**Max.Temp.**	38	38	38	37	37	36	37
	Min.Temp.	22	23	23	23	22	22	22
	Rainfall mm	0	0	0	0	0	0.4	1.3
Bahawalpur	**Max.Temp.**	37	37	37	36	36	37	38
	Min.Temp.	26	25	25	24	21	24	23
	Rainfall mm	0	0	0	0	0	0	0
D.G.Khan	**Max.Temp.**	38	38	39	39	37	38	39
	Min.Temp.	24	26	25	23	23	24	24
	Rainfall mm	0	0	0	0	0.6	0	0
Average Cotton Zone	**Max.Temp.**	37.6						
	Min.Temp.	23.9						
	Rainfall mm	0.1						

Source: timeanddate.com& Accuweather

Summary of weather forecast

Mild weather & some scattered rains are expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 3rd & 4th week September 2026, cotton pest scouting reports revealed that its population will be at a low ebb due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather conditions & prevailing crop growth stage infestation of this pest will be at a low ebb due to prevailing weather conditions.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40 °C with relative humidity below 60%. Based on current & next week dry weather conditions & prevailing crop growth stage it is predicted that population of this pest will be at a low ebb due to prevailing weather conditions.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast and crop at maturity stage, it is suggested that its population will sustain.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 2nd & 3rd weeks of September 2026 reports, Based on current & next week weather conditions & prevailing crop growth stage so it is predicted that population of this pest will sustain during coming week.

CLCuV: The symptoms of this disease are expected to decrease due to coming week weather conditions.

Wilt: The symptoms of this disease are expected to decrease due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:

Sucking Insect Pests (Whitefly, Jassid & Thrips)

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.
4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.
7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.
10. Spray pesticides preferably in the evening time.

Chemical Control of Jassid		
Sr. No.	**Name of Pesticides**	**Name of Pesticides**
1	Dinotefuran 20% SG	100 g
2	Flonicamid 50% WDG	60 g
3	Flupyradifurone 200 SL	300 ml
4	Pymetrozine + Dinotefuran 60% WG	100 g

Chemical Control of Thrips		
Sr. No.	**Name of Pesticides**	**Name of Pesticides**
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Whitefly		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Pyrafluquinazon 20% WG	200 g
2	Spirotetramat 240 SC + Bio Power (IGR)	125 ml + Adjacent
3	Flonicamid 50% DF	80 g
4	Flonicamid + Spirotetramat 18 WP	200 g
5	Dinotefuran + Spirotetramat 20% SC	250 ml
6	Abamectin + Flonicamid 15.6% WG	350 g
7	Pyriproxifen + Spirotetramat 24% SC	200 ml
8	Pyriproxyfen 10.8 EC (IGR)	500 ml
9	Diofenthuran 500 SC	200 ml
10	Cyantraniliprola + Diofenthuran 48 SC	300 ml

Pink Bollworm

- Conduct pest scouting twice a week.
- For monitoring of PBW, install 1–2 pheromone traps per acre, and for control, install 9–12 traps per acre. Replace the pheromone capsules every 15 days.
- At the onset of a pink bollworm infestation, release 20 Trichogramma cards per acre. Reapply the cards every 15 days.

Chemical Control of Pink Bollworm		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Spintoram 120 SC	100-120 ml
2	Gama cyhalothrin 60 CS	100 ml
3	Chlorantraniliprole+Lambda cyhalothrin 150 ZC	160 ml
4	Lambda Cyhalothrin 2.5 EC	330 ml
5	Triazophos 40 EC	1000 ml
6	Deltamethrin + Triazophos 36 EC	500-600 ml
7	Bifenthrin 10 EC	250 ml
8	Beta Cyhalothrin + Triazophos 41.7% EC	400 ml
9	Lufenuron + Indoxacarb + Triazophos 43.6% EC	750-1000 ml
10	Cyantraniliprole + Lufenuron 40 SC	80 ml
11	Deltamethrin + Triazophos 36 EC	500-600 ml

Chemical Control of Mealy Bug		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Profenofox 50 EC	800 ml
2	Malathron 57% EC	500 ml
3	Sulfuxaflor 50% WG/240 SC	40-50 g/80-100 ml
4	Cypermathrin + Profunafox 440 EC	500 ml

Cotton Leaf Curl Virus

- Cotton Leaf Curl Virus (CLCuV) is transmitted rapidly by whitefly. Therefore, its management should include the judicious use of recommended insecticides along with biological control measures.
- Remove and destroy weeds growing in orchards, along water channels (Khals), field bunds and other nearby areas, as these may serve as alternate hosts for whitefly and virus infection.
- For improved crop growth and development, apply a foliar spray of 250 g Zinc Sulphate (33%), 250 g Borax, and 300 g Magnesium Sulphate dissolved in 100 litres of water.