

DIRECTORATE GENERAL OF PEST WARNING & QUALITY CONTROL OF PESTICIDES PUNJAB, LAHORE.

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 2nd WEEK OF AUGUST, 2026

SUMMARY

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL


TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MULTAN	78	335	1.3	0.0	0.0	1.3	0.0	0.0	1.3	98.7	100.0	100.0	0.0	0.0	98.7	0.0	0.0	0.0	0.0	0.0	11.5	0.0	5.1	8.4	0.0	0.0
SHUJABAD	90	476	0.0	3.3	0.0	1.1	0.0	0.0	3.3	100.0	96.7	100.0	0.0	0.0	88.9	0.0	2.2	0.0	0.0	0.0	10.0	0.0	2.2	1.1	0.0	0.0
JALAL PUR P.W	87	380	0.0	2.3	0.0	1.1	0.0	0.0	0.0	100.0	97.7	100.0	0.0	0.0	73.6	0.0	1.1	0.0	0.0	0.0	8.0	0.0	6.9	7.6	0.0	0.0
KHANEWAL	108	557	0.0	0.9	0.0	0.0	0.0	0.0	0.0	100.0	99.1	79.6	0.0	0.0	30.6	0.0	1.9	0.0	0.0	0.0	13.9	0.0	0.9	1.3	0.0	0.0
JAHANIAN	88	344	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	68.2	0.0	0.0	35.2	0.0	0.0	0.0	0.0	0.0	9.1	0.0	0.0	0.0	0.0	0.0
KABIR WALA	82	231	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	67.1	0.0	0.0	75.6	0.0	1.2	0.0	0.0	0.0	14.6	0.0	0.0	0.0	0.0	0.0
MIAN CHANNU	97	367	0.0	0.0	0.0	1.0	0.0	0.0	0.0	100.0	100.0	85.6	0.0	0.0	52.6	0.0	3.1	0.0	0.0	0.0	15.5	0.0	0.0	0.0	0.0	0.0
VEHARI	144	367	1.4	0.7	0.0	2.1	0.0	0.0	0.0	99.3	99.3	100.0	0.0	0.0	88.2	0.0	0.0	0.0	0.0	0.0	7.6	0.0	1.4	1.9	0.0	0.0
MAILSI	137	701	0.0	1.5	0.0	2.2	0.0	0.0	0.0	100.0	98.5	89.1	0.0	0.0	86.9	0.0	1.5	0.0	0.0	0.0	7.3	0.0	0.7	0.3	0.0	0.0
BURE WALA	120	361	0.0	0.8	0.0	1.7	0.0	0.0	0.0	100.0	99.2	100.0	0.0	0.0	75.0	0.0	1.7	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0
LODHRAN	116	491	0.0	0.0	0.0	1.7	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	89.7	0.0	1.7	0.0	0.0	0.0	11.2	0.0	0.9	0.2	0.0	0.0
DUYAPUR	109	651	0.0	0.0	0.0	2.8	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	55.0	0.0	2.8	0.0	0.0	0.0	6.4	0.0	4.6	2.6	0.0	0.0
KEHROR PACCA	57	247	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	80.7	0.0	0.0	0.0	0.0	0.0	10.5	0.0	0.0	0.0	0.0	0.0
SAHIWAL	100	221	1.0	4.0	0.0	1.0	0.0	0.0	0.0	78.0	88.0	68.0	0.0	0.0	51.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0
CHICHA WATNI	75	192	2.7	4.0	0.0	2.7	0.0	0.0	0.0	80.0	89.3	65.3	0.0	0.0	50.7	0.0	1.3	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0
PAK PATTAN	28	90	3.6	3.6	0.0	0.0	0.0	0.0	0.0	96.4	96.4	100.0	0.0	0.0	53.6	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0
ARIF WALA	52	147	0.0	1.9	0.0	1.9	0.0	0.0	0.0	100.0	98.1	100.0	0.0	0.0	55.8	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0
OKARA	28	57	0.0	7.1	0.0	0.0	0.0	0.0	0.0	100.0	92.9	100.0	0.0	0.0	60.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RENALA KHURD	42	100	2.4	4.8	0.0	2.4	0.0	0.0	0.0	97.6	95.2	100.0	0.0	0.0	76.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.0	0.0	0.0
DEPALPUR	28	109	3.6	7.1	0.0	0.0	0.0	0.0	0.0	96.4	92.9	100.0	0.0	0.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL PUR	107	492	0.9	2.8	0.0	1.9	0.0	0.0	0.0	99.1	97.2	100.0	0.0	0.0	32.7	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.9	0.6	0.0	0.0
A.P.EAST	91	573	0.0	2.2	0.0	3.3	0.0	0.0	0.0	100.0	97.8	100.0	0.0	0.0	40.7	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0
YAZMAN	69	527	1.4	7.2	0.0	7.2	0.0	0.0	0.0	98.6	92.8	100.0	0.0	0.0	46.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HASILPUR	109	426	0.9	0.0	0.0	3.7	0.0	0.0	0.0	99.1	100.0	100.0	0.0	0.0	46.8	0.0	0.9	0.0	0.0	0.0	2.8	0.0	1.8	0.7	0.0	0.0
BAHAWAL NAGAR	100	543	3.0	2.0	1.0	0.0	0.0	0.0	0.0	97.0	98.0	99.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0
HAROON ABAD	101	533	2.0	2.0	0.0	1.0	0.0	0.0	0.0	98.0	97.0	100.0	0.0	0.0	16.8	0.0	0.0	0.0	0.0	0.0	1.0	0.0	2.0	1.9	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL																										
TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
FORT ABBAS	100	700	3.0	5.0	2.0	1.0	0.0	0.0	0.0	97.0	95.0	98.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	3.0	3.4	0.0	0.0
MINCHAN ABAD	28	148	3.6	0.0	0.0	0.0	0.0	0.0	0.0	96.4	100.0	100.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHISHTIAN	68	344	1.5	0.0	0.0	0.0	0.0	0.0	0.0	98.5	100.0	100.0	0.0	0.0	19.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.9	0.0	0.0	
R.Y.KHAN	91	486	1.1	2.2	0.0	2.2	0.0	0.0	0.0	98.9	96.7	100.0	0.0	0.0	14.3	0.0	0.0	0.0	0.0	0.0	1.1	0.0	3.3	2.5	0.0	0.0
KHAN PUR	66	348	3.0	1.5	0.0	1.5	0.0	0.0	0.0	97.0	98.5	100.0	0.0	0.0	16.7	0.0	1.5	0.0	0.0	0.0	1.5	0.0	3.0	2.6	0.0	0.0
LIAQUAT PUR	92	479	0.0	1.1	1.1	2.2	0.0	0.0	0.0	100.0	98.9	98.9	0.0	0.0	16.3	0.0	0.0	0.0	0.0	0.0	3.3	0.0	1.1	1.5	0.0	0.0
SADIQ ABAD	102	547	2.9	3.9	2.0	2.0	0.0	0.0	0.0	95.1	95.1	91.2	0.0	0.0	13.7	0.0	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.4	0.0	0.0
D.G.KHAN	127	455	3.1	3.9	0.8	1.6	0.0	0.0	0.8	96.9	96.1	99.2	0.0	0.0	18.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.2	0.0	0.0
TAUNSA	100	617	2.0	5.0	0.0	1.0	0.0	0.0	1.0	98.0	95.0	100.0	0.0	0.0	16.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.0	1.3	0.0	0.0
KOT CHUTTA	120	333	4.2	3.3	0.0	1.7	0.0	0.0	0.0	95.8	96.7	100.0	0.0	0.0	30.8	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0
MUZUFAR GARH	125	370	2.4	2.4	0.0	0.8	0.0	0.0	0.0	97.6	97.6	100.0	0.0	0.0	81.6	0.0	3.2	0.0	0.0	0.0	5.6	0.0	3.2	3.8	0.0	0.0
KOT ADDU	105	368	1.9	4.8	0.0	1.0	0.0	0.0	0.0	93.3	90.5	95.2	0.0	0.0	13.3	0.0	1.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0
ALI PUR	105	382	1.9	2.9	0.0	1.0	0.0	0.0	0.0	98.1	97.1	100.0	0.0	0.0	98.1	0.0	1.0	0.0	0.0	0.0	2.9	0.0	1.0	1.6	0.0	0.0
JATOI	125	492	0.8	4.8	0.0	1.6	0.0	0.0	0.8	99.2	95.2	100.0	0.0	0.0	49.6	0.0	0.0	0.0	0.0	0.0	8.0	0.0	3.2	1.8	0.0	0.0
LAYYAH	97	286	8.2	12.4	6.2	0.0	0.0	0.0	0.0	85.6	81.4	71.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0
CHOBARA	100	151	2.0	3.0	0.0	2.0	0.0	0.0	0.0	98.0	97.0	68.0	0.0	0.0	10.0	0.0	1.0	0.0	0.0	0.0	7.0	0.0	1.0	0.7	0.0	0.0
KAROR L.E.	80	229	2.5	2.5	0.0	0.0	0.0	0.0	0.0	97.5	97.5	85.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	7.5	0.0	0.0	0.0	0.0	0.0
RAJAN PUR	100	322	1.0	1.0	0.0	1.0	0.0	0.0	0.0	99.0	99.0	100.0	0.0	0.0	13.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0
JAM PUR	140	562	0.7	0.0	0.0	0.7	0.0	0.0	0.0	99.3	100.0	100.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
ROJHAN	20	70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	20.0	0.0	5.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
JHANG	27	57	0.0	7.4	0.0	18.5	0.0	0.0	0.0	59.3	59.3	3.7	0.0	0.0	25.9	0.0	3.7	0.0	0.0	0.0	22.2	0.0	0.0	0.0	0.0	0.0
18-HAZARI	7	18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57.1	42.9	14.3	0.0	0.0	14.3	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	0.0	0.0	0.0
A.P SIAL	9	23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	55.6	11.1	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.0	0.0	0.0
SHORKOT	29	72	0.0	3.4	0.0	0.0	0.0	0.0	0.0	51.7	58.6	6.9	0.0	0.0	31.0	0.0	0.0	0.0	0.0	0.0	13.8	0.0	0.0	0.0	0.0	0.0
T.T.SINGH	93	299	0.0	2.2	0.0	1.1	0.0	0.0	0.0	100.0	97.8	55.9	0.0	0.0	48.4	0.0	0.0	0.0	0.0	0.0	9.7	0.0	0.0	0.0	0.0	0.0
GOJRA	28	44	0.0	3.6	0.0	0.0	0.0	0.0	0.0	100.0	96.4	60.7	0.0	0.0	14.3	0.0	7.1	0.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	0.0
PIR MAHAL	33	77	6.1	3.0	0.0	0.0	0.0	0.0	0.0	93.9	97.0	81.8	0.0	0.0	90.9	0.0	9.1	0.0	0.0	0.0	42.4	0.0	0.0	0.0	0.0	0.0
SUMUNDRI	45	85	0.0	6.7	0.0	0.0	0.0	0.0	0.0	100.0	93.3	100.0	0.0	0.0	51.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TANDLIANWALA	54	110	3.7	0.0	0.0	0.0	0.0	0.0	0.0	96.3	100.0	100.0	0.0	0.0	70.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BHOWANA	4	11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIANWALI	123	491	3.3	4.1	0.0	0.8	0.0	0.0	0.0	96.7	95.9	100.0	0.0	0.0	13.8	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.6	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL																											
TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt		
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence		
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area	
PIPLAN	68	275	1.5	7.4	1.5	2.9	0.0	0.0	0.0	98.5	92.6	98.5	0.0	0.0	16.2	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	
ISA KHEL	11	44	0.0	9.1	0.0	0.0	0.0	0.0	0.0	100.0	90.9	100.0	0.0	0.0	27.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
BHAKKAR	30	67	3.3	3.3	0.0	0.0	0.0	0.0	0.0	96.7	96.7	100.0	0.0	0.0	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.5	0.0	0.0	
MANKERA	35	66	2.9	5.7	0.0	0.0	0.0	0.0	0.0	97.1	94.3	100.0	0.0	0.0	48.6	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	
KALLOR KOT	43	128.5	4.7	7.0	0.0	2.3	0.0	0.0	0.0	95.3	93.0	100.0	0.0	0.0	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
DARYA KHAN	35	56	5.7	5.7	0.0	0.0	0.0	0.0	0.0	94.3	94.3	100.0	5.7	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
CURRENT WEEK 2026	4808	19130.5	1.6	2.7	0.3	1.4	0.0	0.0	0.1	96.8	96.2	92.1	0.0	0.0	42.6	0.0	0.7	0.0	0.0	0.0	0.0	5.6	0.0	1.1	1.2	0.0	0.0
PREVIOUS WEEK 2026	4270	17319.5	1.8	3.3	0.3	1.4	0.0	0.0	0.1	96.5	95.2	95.0	0.4	0.0	40.2	0.0	0.4	0.0	0.0	0.0	4.2	0.0	1.1	1.2	0.0	0.0	
CURRENT WEEK 2025	4256	20461	2.8	5.0	0.9	3.3	0.0	0.0	0.0	96.6	94.8	96.8	0.0	0.0	32.0	0.0	0.4	0.0	0.0	0.0	2.8	0.0	7.1	10.6	0.0	0.0	
TOTAL 2026	4808	19130.5	76	130	14	69	0	0	7	4655	4623	4427	2	0	2049	0	35	0	0	0	268	0	53	222	0	0	
TOTAL 2025	4256	20461	118	212	38	142	0	0	1	4113	4035	4118	2	0	1361	0	17	0	0	0	120	1	301	2179	0	0	


A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



PEST SITUATION ON COTTON CROP IN PUNJAB DURING 2nd WEEK OF AUGUST, 2026

Whitefly: 1.58% above ETL spots have been observed during current week as compared to 1.76% % in last week and 2.77% during the same corresponding period of last year. And 96.8% below ETL spots have been observed during current week as compared to 96.5% in last week and 96.6% during the same corresponding week of last year.

Tehsil wise percentage of hot spots of Whitefly

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	LAYYAH	8.2	20	MUZUFAR GARH	2.4
2	PIR MAHAL	6.1	21	RENALA KHURD	2.4
3	DARYA KHAN	5.7	22	TAUNSA	2.0
4	KALLOR KOT	4.7	23	CHOBARA	2.0
5	KOT CHUTTA	4.2	24	HAROON ABAD	2.0
6	TANDLIANWALA	4.1	25	KOT ADDU	1.9
7	PAK PATTAN	3.6	26	ALI PUR	1.9
8	DEPALPUR	3.6	27	CHISHTIAN	1.5
9	MINCHAN ABAD	3.6	28	PIPLAN	1.5
10	BHAKKAR	3.3	29	YAZMAN	1.4
11	MIANWALI	3.3	30	VEHARI	1.4
12	D.G.KHAN	3.1	31	MULTAN	1.3
13	KHAN PUR	3.0	32	R.Y.KHAN	1.1
14	BAHAWAL NAGAR	3.0	33	SAHIWAL	1.0
15	FORT ABBAS	3.0	34	RAJAN PUR	1.0
16	SADIQ ABAD	2.9	35	BAHAWAL PUR	0.9
17	MANKERA	2.9	36	HASILPUR	0.9
18	CHICHA WATNI	2.7	37	JATOI	0.8
19	KAROR L.E.	2.5	38	JAM PUR	0.7

Jassid: 2.70% above ETL spots has been observed as compared to 3.26% in last week and same week of last year 4.98%. And 96.2% below ETL spots have been observed during current week as compared to 95.2% in last week and 94.8% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Jassid

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	LAYYAH	12.4	25	KOT CHUTTA	3.3
2	ISA KHEL	9.1	26	BHAKKAR	3.3
3	JHANG	7.4	27	SHUJABAD	3.3
4	PIPLAN	7.4	28	PIR MAHAL	3.0
5	YAZMAN	7.2	29	CHOBARA	3.0
6	DEPALPUR	7.1	30	ALI PUR	2.9
7	OKARA	7.1	31	BAHAWAL PUR	2.8
8	KALLOR KOT	7.0	32	KAROR L.E.	2.5

9	SUMUNDRI	6.7	33	MUZUFAR GARH	2.4
10	DARYA KHAN	5.7	34	JALAL PUR P.W	2.3
11	MANKERA	5.7	35	R.Y.KHAN	2.2
12	FORT ABBAS	5.0	36	A.P.EAST	2.2
13	TAUNSA	5.0	37	T.T.SINGH	2.2
14	JATOI	4.8	38	BAHAWAL NAGAR	2.0
15	RENALA KHURD	4.8	39	HAROON ABAD	2.0
16	KOT ADDU	4.8	40	ARIF WALA	1.9
17	MIANWALI	4.1	41	KHAN PUR	1.5
18	CHICHA WATNI	4.0	42	MAILSI	1.5
19	SAHIWAL	4.0	43	LIAQUAT PUR	1.1
20	D.G.KHAN	3.9	44	RAJAN PUR	1.0
21	SADIQ ABAD	3.9	45	KHANEWAL	0.9
22	PAK PATTAN	3.6	46	BURE WALA	0.8
23	GOJRA	3.6	47	VEHARI	0.7
24	SHORKOT	3.4			

Thrips: 0.29% above ETL spots has been observed as compared to 0.30% during last week and for corresponding week of last year the infestation was 0.89%, while 92.1% below ETL spots have been observed during current week as compared to 95.1% in last week and 96.8% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Thrips

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	LAYYAH	6.2	5	LIAQUAT PUR	1.1
2	FORT ABBAS	2.0	6	BAHAWAL NAGAR	1.0
3	SADIQ ABAD	2.0	7	D.G.KHAN	0.8
4	PIPLAN	1.5			

Mealy Bug: 1.44% AETL spots of Mealy Bug have been observed as compared to 1.43% during last week and 3.34% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	JHANG	18.5	20	BURE WALA	1.7
2	YAZMAN	7.2	21	JATOI	1.6
3	HASILPUR	3.7	22	D.G.KHAN	1.6
4	A.P.EAST	3.3	23	KHAN PUR	1.5
5	PIPLAN	2.9	24	MULTAN	1.3
6	DUYAPUR	2.8	25	JALAL PUR P.W	1.1
7	CHICHA WATNI	2.7	26	SHUJABAD	1.1
8	RENALA KHURD	2.4	27	T.T.SINGH	1.1
9	KALLOR KOT	2.3	28	MIAN CHANNU	1.0
10	R.Y.KHAN	2.2	29	FORT ABBAS	1.0
11	MAILSI	2.2	30	TAUNSA	1.0
12	LIAQUAT PUR	2.2	31	SAHIWAL	1.0
13	VEHARI	2.1	32	RAJAN PUR	1.0

14	CHOBARA	2.0	33	HAROON ABAD	1.0
15	SADIQ ABAD	2.0	34	KOT ADDU	1.0
16	ARIF WALA	1.9	35	ALI PUR	1.0
17	BAHAWAL PUR	1.9	36	MIANWALI	0.8
18	LODHRAN	1.7	37	MUZUFAR GARH	0.8
19	KOT CHUTTA	1.7	38	JAM PUR	0.7

Pink Boll Worm: 0.73% above ETL spots have been observed as compared to 0.40% in last week and 0.40% same corresponding period of the last year. And 5.57% below ETL spots have been observed as compared to 4.19% in last week and 2.82% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	PIR MAHAL	9.1	11	BURE WALA	1.7
2	GOJRA	7.1	12	KHAN PUR	1.5
3	ROJHAN	5.0	13	MAILSI	1.5
4	JHANG	3.7	14	CHICHA WATNI	1.3
5	MUZUFAR GARH	3.2	15	KABIR WALA	1.2
6	MIAN CHANNU	3.1	16	JALAL PUR P.W	1.1
7	DUYAPUR	2.8	17	CHOBARA	1.0
8	SHUJABAD	2.2	18	KOT ADDU	1.0
9	KHANEWAL	1.9	19	ALI PUR	1.0
10	LODHRAN	1.7	20	HASILPUR	0.9

Armyworm: 0.00% spots (all considered above ETL) of Armyworm have been observed as compared to 0.02% in last week and 0.00% spots during the same corresponding period of the last year.

Wilt: 0.0% spots (all considered above ETL) of Wilt have been observed as compared to 0.0% in last week and 0.0% during the same corresponding period of the last year.

CLCuV: On overall cotton zone basis 1.10% spots (all considered above ETL) of CLCV have been observed as compared to 1.05% in last week and 7.07% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	JALAL PUR P.W	6.9	14	CHISHTIAN	1.5
2	MULTAN	5.1	15	VEHARI	1.4
3	DUYAPUR	4.6	16	LIAQUAT PUR	1.1
4	BHAKKAR	3.3	17	CHOBARA	1.0
5	R.Y.KHAN	3.3	18	TAUNSA	1.0
6	MUZUFAR GARH	3.2	19	SADIQ ABAD	1.0
7	JATOI	3.2	20	ALI PUR	1.0

8	KHAN PUR	3.0	21	BAHAWAL PUR	0.9
9	FORT ABBAS	3.0	22	KHANEWAL	0.9
10	RENALA KHURD	2.4	23	LODHRAN	0.9
11	SHUJABAD	2.2	24	MIANWALI	0.8
12	HAROON ABAD	2.0	25	D.G.KHAN	0.8
13	HASILPUR	1.8	26	MAILSI	0.7

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	40.6	34.4	51.4	0.1	40.9	30.3	46.9	0.0
Khanewal	37.7	29.4	55.0	0.1	39.5	30.0	53.8	0.0
Vehari	36.6	29.7	55.4	0.1	38.1	29.4	54.9	0.0
Lodhran	36.6	29.0	67.0	10.6	38.0	28.1	56.8	0.0
Okara	37.4	27.9	72.8	2.5	35.9	28.5	72.4	0.0
Sahiwal	37.0	28.1	74.2	14.5	34.8	27.9	74.6	0.0
Pakpattan	38.1	27.2	73.5	38.0	35.5	27.3	72.9	0.0
Bahawalpur	37.6	28.4	68.9	16.9	37.7	29.7	63.0	0.0
Bahawalnagar	38.3	27.7	65.7	28.2	38.2	28.1	61.0	0.0
R.Y.Khan	38.4	28.9	62.1	12.9	37.7	26.0	63.6	0.0
D.G. Khan	37.7	28.7	66.0	3.0	39.3	29.7	65.0	2.0
M.Garh	36.3	29.3	72.9	0.7	37.6	29.6	67.4	0.4
Rajanpur	40.2	28.5	64.0	0.0	40.1	28.0	66.9	1.2
Layyah	40.0	29.0	68.0	2.0	42.0	31.0	50.0	5.0
COTTON ZONE AVERAGE	38.04	29.01	65.49	-	38.23	28.83	62.08	-

Weather forecast for next 7 day in cotton zone

Division	Dated	12/8	13/8	14/8	15/8	16/8	17/8	18/8
Multan	Max.Temp.	39	42	42	42	42	42	42
	Min.Temp.	31	31	32	31	30	28	28
	Rainfall mm	0	0	0	0	0	0	0
Sahiwal	Max.Temp.	36	38	38	40	40	40	40
	Min.Temp.	30	30	28	30	31	30	30
	Rainfall mm	0	2.1	0	0	0	0	0
Bahawalpur	Max.Temp.	38	40	40	41	40	40	40
	Min.Temp.	29	31	30	32	30	30	27
	Rainfall mm	0	2.9	1.3	0	0	0	0
D.G.Khan	Max.Temp.	39	42	42	42	43	43	43
	Min.Temp.	31	33	31	32	31	30	28
	Rainfall mm	0	0.1	0	0	0	0	0
Average Cotton Zone	Max.Temp.	40.6						
	Min.Temp.	30.2						
	Rainfall mm	0.2						

Source: timeanddate.com & [Accuweather](https://accuweather.com)

Summary of weather forecast

Mostly Sunny, hot, cloudy weather with some scattered rains are expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 1st & 2nd week August 2026, cotton pest scouting reports revealed that its population increase due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather conditions & prevailing crop growth stage infestation of this pest will increase during the coming week.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40°C with relative humidity below 60%. Based on current & next week dry weather conditions & prevailing crop growth stage it is predicted that population of this pest will decrease during the coming week.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast population suggests that its population will sustain.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 1st & 2nd week August 2026 reports, Based on current & next week weather conditions &

prevailing crop growth stage so it is predicted that population of this pest will increase during coming week.

CLCuV: The symptoms of this disease increasing as compared to previous week on susceptible varieties due to increasing whitefly population.

Wilt: The symptoms of this disease may expected to sustain due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:-

Sucking Insect Pests (Whitefly, Jassid & Thrips)

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.
4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.
7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.
10. Spray pesticides preferably in the evening time

Chemical Control of Jassids		
Sr. No.	Name of Pesticides	Name of Pesticides
1	Pymetrozine + Dinotefuran 60% WG	100 g
2	Flupyradifurone 200 SC	300 ml
3	Flonicamid 75% WDG	60 g
4	Dinotefuran 20 SG	100 g
5	Abamectin + Thiamethoxam 108 SC	300 mL
6	Nitenpyram 10% AS	200 mL
7	Isocycloseram 100 DC	80 mL
8	Acephate 75 SP	250–300 g
9	Pyriproxifen + Flonicamid 13.5% SC	400 ml

Sr. No.	Name of Pesticides	Dose Per Acre
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Whitefly		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Pyriproxifen 10.8 EC (IGR)	500 mL
2	Spirotetramat 240 SC + Bio Power (IGR)	250 mL + 125 mL
3	Buprofezin 25 WP (IGR)	600 g
4	Pyrafluquinazon 20% WG	200 g
5	Afidopyropen 5% DC	300 mL
6	Spiropidion + Acetamiprid 54% WG	200 g
7	Flonicamid + Spirotetramat 18 WP	200 g
8	Dinotefuran + Spirotetramat 20% SC	250 mL
9	Flonicamid 75% WDG	60 g
10	Abamectin + Flonicamid 15.6% WG	150 g
11	Pyriproxifen + Flonicamid 13.5% SC	400 ml

Pink Bollworm

- Conduct pest scouting twice a week.
- For monitoring of PBW, install 1–2 pheromone traps per acre, and for control, install 9–12 traps per acre. Replace the pheromone capsules every 15 days.
- At the onset of a pink bollworm infestation, release 20 Trichogramma cards per acre. Reapply the cards every 15 days.

Paratype Wilt

- Avoid drought conditions. Apply light irrigation at appropriate interval.
- Good sanitation should be adopted.