DIRECTORATE GENERAL OF PEST WARNING & QUALITY CONTROL OF PESTICIDES PUNJAB, LAHORE.

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 2ND WEEK OCT. 2026

SUMMARY

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL


TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %														BOLLWORMS %							CLCV Incidence		Wilt Incidence	
			ABOVE ETL							BELOW ETL							ABOVE ETL				BELOW ETL						
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MULTAN	108	447	0.00	0.00	0.00	7.41	0.00	0.00	4.63	0.00	75.93	50.00	42.59	0.00	0.00	95.37	0.00	0.00	12.96	0.00	0.00	0.00	13.89	0.00	0.00	0.00	0.00	0.00
SHUJABAD	70	401	0.00	0.00	0.00	4.29	0.00	0.00	8.57	0.00	68.57	57.14	48.57	0.00	0.00	90.00	1.43	0.00	7.14	0.00	0.00	0.00	12.86	0.00	0.00	0.00	0.00	0.00
JALAL PUR P.W	90	451	0.00	0.00	0.00	6.67	0.00	0.00	6.67	0.00	53.33	51.11	47.78	0.00	0.00	93.33	0.00	0.00	4.44	0.00	0.00	0.00	11.11	0.00	0.00	0.00	0.00	0.00
KHANEWAL	44	221	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	63.64	47.73	20.45	0.00	0.00	81.82	0.00	0.00	0.00	0.00	0.00	0.00	9.09	0.00	0.00	0.00	0.00	0.00
JAHANIAN	59	250	0.00	0.00	0.00	0.00	0.00	0.00	1.69	0.00	76.27	72.88	37.29	0.00	0.00	66.10	0.00	0.00	0.00	0.00	0.00	0.00	3.39	0.00	0.00	0.00	0.00	0.00
KABIR WALA	33	111	0.00	0.00	0.00	3.03	0.00	0.00	0.00	0.00	72.73	72.73	30.30	0.00	0.00	100.00	0.00	0.00	3.03	0.00	0.00	0.00	12.12	0.00	0.00	0.00	0.00	0.00
MIAN CHANNU	46	209	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	71.74	52.17	28.26	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	8.70	0.00	0.00	0.00	0.00	0.00
VEHARI	66	190	0.00	0.00	0.00	1.52	0.00	0.00	0.00	0.00	86.36	84.85	21.21	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	3.03	0.00	0.00	0.00	0.00	0.00
MAILSI	52	165	0.00	0.00	0.00	3.85	0.00	0.00	3.85	0.00	88.46	88.46	21.15	0.00	0.00	100.00	0.00	0.00	1.92	0.00	0.00	0.00	1.92	0.00	0.00	0.00	0.00	0.00
BURE WALA	34	154	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	79.41	73.53	38.24	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	5.88	0.00	0.00	0.00	0.00	0.00
LODHRAN	137	559	0.00	0.00	0.00	0.00	0.00	0.00	1.46	0.00	57.66	55.47	43.80	0.00	0.00	98.54	0.00	0.00	0.73	0.00	0.00	0.00	7.30	0.00	0.00	0.00	0.00	0.00
DUYAPUR	127	596	0.00	0.00	0.00	2.36	0.00	0.00	0.00	0.00	59.84	87.40	49.61	0.00	0.00	100.00	0.00	0.00	0.79	0.00	0.00	0.00	8.66	0.00	0.00	0.00	0.00	0.00
KEHROR PACCA	51	76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.98	37.25	37.25	0.00	0.00	100.00	0.00	0.00	1.96	0.00	0.00	0.00	7.84	0.00	0.00	0.00	0.00	0.00
SAHIWAL	59	169	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.59	52.54	23.73	0.00	0.00	28.81	0.00	0.00	0.00	0.00	0.00	0.00	3.39	0.00	0.00	0.00	0.00	0.00
CHICHA WATNI	20	98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	60.00	40.00	20.00	0.00	0.00	35.00	0.00	0.00	0.00	0.00	0.00	0.00	5.00	0.00	0.00	0.00	0.00	0.00
PAK PATTAN	29	69	0.00	0.00	0.00	3.45	0.00	0.00	0.00	0.00	100.00	100.00	24.14	0.00	0.00	44.83	0.00	0.00	0.00	0.00	0.00	0.00	6.90	0.00	0.00	0.00	0.00	0.00
ARIF WALA	48	116	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00	100.00	25.00	0.00	0.00	41.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OKARA	8	11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.00	50.00	50.00	0.00	0.00	75.00	0.00	0.00	0.00	0.00	0.00	0.00	12.50	0.00	0.00	0.00	0.00	0.00
RENALA KHURD	16	31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	62.50	37.50	25.00	0.00	0.00	56.25	0.00	0.00	0.00	0.00	0.00	0.00	18.75	0.00	0.00	0.00	0.00	0.00
DEPALPUR	16	25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.00	50.00	43.75	0.00	0.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00	12.50	0.00	0.00	0.00	0.00	0.00
BAHAWAL PUR	121	666	0.00	0.00	0.00	9.92	0.00	0.00	14.88	0.00	90.08	82.64	73.55	0.00	0.00	85.12	2.48	0.00	0.00	0.00	0.00	0.00	8.26	0.00	0.00	0.00	0.00	0.00
A.P.EAST	132	790	0.00	0.00	0.00	11.36	0.00	0.00	13.64	0.00	56.06	38.64	41.67	0.00	0.00	82.58	3.79	0.00	6.82	0.00	0.00	0.00	6.06	0.00	0.00	0.00	0.00	0.00
YAZMAN	110	849	0.00	0.00	0.00	13.64	0.00	0.00	12.73	0.00	100.00	100.00	89.09	0.00	0.00	86.36	5.45	0.00	0.91	0.00	0.00	0.00	18.18	0.00	0.00	0.00	0.00	0.00
HASILPUR	105	395	0.00	0.00	0.00	5.71	0.00	0.00	2.86	0.00	78.10	61.90	55.24	0.00	0.00	94.29	3.81	0.00	0.00	0.00	0.00	0.00	3.81	0.00	0.95	0.76	0.00	0.00
BAHAWAL NAGAR	115	655	0.00	0.00	0.00	0.87	0.00	0.00	1.74	0.00	88.70	75.65	58.26	0.00	0.00	46.96	0.00	0.00	0.00	0.00	0.00	0.00	2.61	0.00	0.00	0.00	0.00	0.00
HAROON ABAD	115	615	0.00	0.00	0.00	0.87	0.00	0.00	0.87	0.00	92.17	79.13	61.74	0.00	0.00	50.43	0.00	0.00	0.87	0.00	0.00	0.00	2.61	0.00	0.00	0.00	0.00	0.00
FORT ABBAS	120	784	0.00	0.00	0.00	1.67	0.00	0.00	0.83	0.00	89.17	80.83	49.17	0.00	0.00	80.00	0.00	0.00	0.00	0.00	0.00	0.00	3.33	0.00	0.00	0.00	1.67	2.42
MINCHAN ABAD	29	164	0.00	0.00	0.00	0.00	0.00	0.00	6.90	0.00	75.86	62.07	48.28	0.00	0.00	37.93	0.00	0.00	0.00	0.00	0.00	0.00	3.45	0.00	0.00	0.00	0.00	0.00
CHISHTIAN	72	362	0.00	0.00	0.00	0.00	0.00	0.00	2.78	0.00	86.11	73.61	54.17	0.00	0.00	48.61	0.00	0.00	0.00	0.00	0.00	0.00	1.39	0.00	0.00	0.00	0.00	0.00
R.Y.KHAN	90	455	0.00	0.00	0.00	6.67	0.00	0.00	4.44	0.00	77.78	48.89	43.33	0.00	0.00	28.89	0.00	0.00	5.56	0.00	0.00	0.00	3.33	0.00	0.00	0.00	0.00	0.00
KHAN PUR	80	442	0.00	0.00	0.00	3.75	0.00	0.00	0.00	0.00	65.00	55.00	50.00	0.00	0.00	26.25	0.00	0.00	2.50	0.00	0.00	0.00	1.25	0.00	0.00	0.00	0.00	0.00
LIAQUAT PUR	130	773	0.00	0.00	0.00	1.54	0.00	0.00	2.31	0.00	62.31	48.46	42.31	0.00	0.00	26.15	0.00	0.00	0.00	0.00	0.00	0.00	3.85	0.00	0.00	0.00	0.00	0.00
SADIQ ABAD	130	722	0.77	0.00	0.00	5.38	0.00	0.00	5.38	0.00	73.08	63.08	63.08	0.00	0.00	33.85	0.00	0.00	0.77	0.00	0.00	0.00	3.85	0.00	0.00	0.00	0.00	0.00
D.G.KHAN	105	310	0.00	0.00	0.00	2.86	0.00	0.00	0.95	0.00	100.00	100.00	100.00	0.00	0.00	22.86	0.00	0.00	0.00	0.00	0.00	0.00	1.90	0.00	0.00	0.00	0.00	0.00
TAUNSA	100	718	0.00	0.00	0.00	3.00	0.00	0.00	0.00	0.00	100.00	100.00	100.00	0.00	0.00	26.00	0.00	0.00	0.00	0.00	0.00	0.00	3.00	0.00	0.00	0.00	0.00	0.00

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %														BOLLWORMS %							CLCV Incidence		Wilt Incidence	
			ABOVE ETL								BELOW ETL						ABOVE ETL				BELOW ETL						
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
KOT CHUTTA	105	311	0.00	0.00	0.00	3.81	0.00	0.00	0.00	0.00	100.00	100.00	100.00	0.00	0.00	37.14	0.00	0.00	0.00	0.00	0.00	0.00	1.90	0.00	0.00	0.00	0.00	0.00
MUZUFAR GARH	125	326	0.00	0.00	0.00	2.40	0.00	0.00	0.80	0.00	53.60	41.60	32.00	0.00	0.00	99.20	0.00	0.00	0.00	0.00	0.00	0.00	2.40	0.00	0.00	0.00	0.00	0.00
KOT ADDU	110	371	0.00	0.00	0.00	0.91	0.00	0.00	0.00	0.00	36.36	33.64	37.27	0.00	0.00	83.64	0.00	0.00	0.91	0.00	0.00	0.00	4.55	0.00	0.00	0.00	0.00	0.00
ALI PUR	110	362	0.00	0.00	0.00	4.55	0.00	0.00	0.91	0.00	44.55	38.18	27.27	0.00	0.00	99.09	0.00	0.00	1.82	0.00	0.00	0.00	1.82	0.00	0.00	0.00	0.00	0.00
JATOI	110	359	0.00	0.00	0.00	1.82	0.00	0.00	0.00	0.00	37.27	33.64	30.91	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	1.82	0.00	0.00	0.00	0.00	0.00
LAYYAH	78	34	1.28	0.00	0.00	2.56	0.00	0.00	0.00	0.00	80.77	33.33	32.05	0.00	0.00	29.49	0.00	0.00	0.00	0.00	0.00	0.00	3.85	0.00	0.00	0.00	0.00	0.00
CHOBARA	123	180	0.00	0.00	0.00	0.81	0.00	0.00	0.00	0.00	80.49	70.73	52.03	0.00	0.00	21.14	0.00	0.00	0.00	0.00	0.00	0.00	7.32	0.00	0.00	0.00	0.00	0.00
KAROR L.E.	135	300	0.00	0.00	0.00	1.48	0.00	0.00	0.00	0.00	72.59	53.33	38.52	0.00	0.00	15.56	0.00	0.00	0.00	0.00	0.00	0.00	7.41	0.00	0.00	0.00	0.00	0.00
RAJAN PUR	64	182	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	45.31	28.13	0.00	0.00	0.00	39.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ROJHAN	12	36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.00	33.33	0.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	8.33	0.00	0.00	0.00	0.00	0.00
JHANG	14	26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.29	0.00	0.00	0.00	0.00	42.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18-HAZARI	9	11	0.00	0.00	0.00	11.11	0.00	0.00	0.00	0.00	33.33	11.11	0.00	0.00	0.00	44.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
A.P SIAL	8	10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.50	0.00	0.00	0.00	0.00	37.50	0.00	0.00	0.00	0.00	0.00	0.00	12.50	0.00	0.00	0.00	0.00	0.00
SHORKOT	2	3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
T.T.SINGH	14	52	0.00	0.00	0.00	7.14	0.00	0.00	7.14	0.00	21.43	35.71	0.00	0.00	0.00	28.57	0.00	0.00	0.00	0.00	0.00	0.00	14.29	0.00	0.00	0.00	0.00	0.00
PIR MAHAL	14	23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.29	0.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SUMUNDRI	14	16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.71	35.71	35.71	0.00	0.00	64.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TANDLIANWALA	9	14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	55.56	55.56	55.56	0.00	0.00	66.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
MIANWALI	104	440	0.00	0.00	0.00	0.00	0.00	0.00	2.88	0.00	100.00	100.00	100.00	0.00	0.00	97.12	0.00	0.00	1.92	0.00	0.00	0.00	9.62	0.00	0.00	0.00	0.00	0.00
PIPLAN	75	250	0.00	0.00	0.00	1.33	0.00	0.00	1.33	0.00	62.67	40.00	20.00	0.00	0.00	98.67	0.00	0.00	1.33	0.00	0.00	0.00	14.67	0.00	0.00	0.00	0.00	0.00
BHAKKAR	44	112	0.00	0.00	0.00	2.27	0.00	0.00	2.27	0.00	100.00	100.00	100.00	0.00	0.00	50.00	0.00	0.00	2.27	0.00	0.00	0.00	4.55	0.00	0.00	0.00	0.00	0.00
MANKERA	34	55	0.00	0.00	0.00	2.94	0.00	0.00	5.88	0.00	100.00	100.00	100.00	0.00	0.00	47.06	0.00	0.00	8.82	0.00	0.00	0.00	11.76	0.00	2.94	3.64	2.94	3.64
KALLOR KOT	29	111	0.00	0.00	0.00	0.00	0.00	0.00	10.34	0.00	100.00	100.00	100.00	0.00	0.00	89.66	0.00	0.00	10.34	0.00	0.00	0.00	10.34	0.00	3.45	0.90	3.45	2.70
DARYA KHAN	40	69	0.00	0.00	0.00	0.00	0.00	0.00	5.00	0.00	100.00	100.00	100.00	0.00	0.00	55.00	0.00	0.00	5.00	0.00	0.00	0.00	5.00	0.00	2.50	1.45	0.00	0.00
CURRENT WEEK 2026	**4049**	**16702**	**0.05**	**0.00**	**0.00**	**3.11**	**0.00**	**0.00**	**2.79**	**0.00**	**72.88**	**64.44**	**50.56**	**0.00**	**0.00**	**65.77**	**0.47**	**0.00**	**1.53**	**0.00**	**0.00**	**0.00**	**5.78**	**0.00**	**0.10**	**0.04**	**0.10**	**0.14**
PREVIOUS WEEK 2026	**4407**	**18798**	**0.45**	**0.02**	**0.00**	**4.24**	**0.00**	**0.00**	**1.95**	**0.39**	**84.64**	**66.10**	**50.24**	**0.00**	**0.00**	**69.68**	**2.95**	**0.00**	**1.52**	**0.00**	**0.00**	**0.00**	**6.31**	**0.00**	**0.29**	**0.24**	**0.14**	**0.10**
CURRENT WEEK 2025	**2581**	**11803**	**0.00**	**0.00**	**0.00**	**3.14**	**0.00**	**0.00**	**4.57**	**0.00**	**79.54**	**78.38**	**59.78**	**0.00**	**0.00**	**63.77**	**0.00**	**0.00**	**2.17**	**0.00**	**0.00**	**0.00**	**15.54**	**0.00**	**0.58**	**0.35**	**0.00**	**0.00**
TOTAL 2026	**4049**	**16702**	**2**	**0**	**0**	**126**	**0**	**0**	**113**	**0**	**2951**	**2609**	**2047**	**0**	**0**	**2663**	**19**	**0**	**62**	**0**	**0**	**0**	**234**	**0**	**4**	**7**	**4**	**24**
TOTAL 2025	**2581**	**11803**	**0**	**0**	**0**	**81**	**0**	**0**	**118**	**0**	**2053**	**2023**	**1543**	**0**	**0**	**1646**	**0**	**0**	**56**	**0**	**0**	**0**	**401**	**0**	**15**	**41**	**0**	**0**


A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



PEST SITUATION ON COTTON CROP IN PUNJAB DURING 2ND WEEK OF OCTOBER, 2026

Whitefly: 0.05% above ETL spots have been observed during current week as compared to 0.45% in last week and 0.00% during the same corresponding period of last year. And 72.8% below ETL spots have been observed during current week as compared to 84.6% in last week and 79.5% during the same corresponding week of last year.

Tehsil wise percentage of hot spots of Whitefly

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	LAYYAH	1.3	2	SADIQ ABAD	0.8

Jassid: 0.00% above ETL spots has been observed as compared to 0.02% in last week and same week of last year 0.0%. And 64% below ETL spots have been observed during current week as compared to 66% in last week and 78% during the same corresponding period of last year.

Thrips: 0.00% above ETL spots has been observed as compared to 0.0% during last week and for corresponding week of last year the infestation was 0.00%, while 50.5% below ETL spots have been observed during current week as compared to 50.2% in last week and 59.7% during the same corresponding period of last year.

Mealy Bug: 3.11% AETL spots of Mealy Bug have been observed as compared to 4.24% during last week and 3.14% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	YAZMAN	13.6	18	TAUNSA	3.0
2	A.P.EAST	11.4	19	MANKERA	2.9
3	18-HAZARI	11.1	20	D.G.KHAN	2.9
4	BAHAWAL PUR	9.9	21	LAYYAH	2.6
5	MULTAN	7.4	22	MUZUFAR GARH	2.4
6	T.T.SINGH	7.1	23	DUYAPUR	2.4
7	JALAL PUR P.W	6.7	24	BHAKKAR	2.3
8	R.Y.KHAN	6.7	25	JATOI	1.8
9	HASILPUR	5.7	26	FORT ABBAS	1.7
10	SADIQ ABAD	5.4	27	LIAQUAT PUR	1.5
11	ALI PUR	4.5	28	VEHARI	1.5
12	SHUJABAD	4.3	29	KAROR L.E.	1.5
13	MAILSI	3.8	30	PIPLAN	1.3
14	KOT CHUTTA	3.8	31	KOT ADDU	0.9
15	KHAN PUR	3.8	32	BAHAWAL NAGAR	0.9

16	PAK PATTAN	3.4	33	HAROON ABAD	0.9
17	KABIR WALA	3.0	34	CHOBARA	0.8

Pink Boll Worm: 1.53% above ETL spots have been observed as compared to 1.52% in last week and 2.17% same corresponding period of the last year. And 5.78% below ETL spots have been observed as compared to 6.31 last week and 15.54% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	MULTAN	13.0	12	KEHROR PACCA	2.0
2	KALLOR KOT	10.3	13	MAILSI	1.9
3	MANKERA	8.8	14	MIANWALI	1.9
4	SHUJABAD	7.1	15	ALI PUR	1.8
5	A.P.EAST	6.8	16	PIPLAN	1.3
6	R.Y.KHAN	5.6	17	YAZMAN	0.9
7	DARYA KHAN	5.0	18	KOT ADDU	0.9
8	JALAL PUR P.W	4.4	19	HAROON ABAD	0.9
9	KABIR WALA	3.0	20	DUYAPUR	0.8
10	KHAN PUR	2.5	21	SADIQ ABAD	0.8
11	BHAKKAR	2.3	22	LODHRAN	0.7

Armyworm: 0.00% spots (all considered above ETL) of Armyworm have been observed as compared to 0.00% in last week and 0.00% spots during the same corresponding period of the last year.

Wilt: 0.1% spots (all considered above ETL) of Wilt have been observed as compared to 0.1% in last week and 0.0% during the same corresponding period of the last year.

CLCuV: 0.10% spots (all considered above ETL) of CLCV have been observed as compared to 0.29% in last week and 0.58% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	KALLOR KOT	3.4	3	DARYA KHAN	2.5
2	MANKERA	2.9	4	HASILPUR	1.0

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	36.5	28.0	57.8	Drizzling	29.3	20.7	76.9	38.0
Khanewal	36.0	24.6	56.0	1.9	30.6	19.5	71.1	9.0
Vehari	34.4	24.1	54.8	Drizzling	30.0	19.2	54.4	8.0
Lodhran	35.4	25.1	65.2	7.3	31.0	20.7	71.3	15.5
Okara	36.4	24.5	60.1	11.4	29.5	19.2	55.5	7.6
Sahiwal	36.3	24.7	61.2	9.2	28.7	19.7	55.1	4.5
Pakpattan	36.8	24.3	60.4	20.0	28.5	19.5	55.7	34.7
Bahawalpur	35.9	26.1	62.4	1.4	33.9	24.9	68.6	11.2
Bahawalnagar	37.1	24.4	56.4	11.4	35.1	23.1	70.3	13.8
R.Y.Khan	37.4	25.7	48.8	0.0	36.0	24.9	62.1	3.5
D.G. Khan	37.3	26.1	60.0	2.0	36.3	20.9	66.9	0.0
M.Garh	35.1	26.0	62.5	3.0	33.1	21.7	66.0	0.0
Rajanpur	37.1	25.7	60.9	0.0	35.6	20.3	62.1	0.0
Layyah	32.0	21.0	80.0	12.0	32.0	20.0	60.0	0.0
COTTON ZONE AVERAGE	**36.0**	**25.0**	**60.5**	**-**	**32.1**	**21.0**	**64.0**	**-**

Weather forecast for next 7 day in cotton zone

Division	Dated	14/10	15/10	16/10	17/10	18/10	19/10	20/10
Multan	Max.Temp.	31	32	34	35	36	38	38
	Min.Temp.	22	22	20	19	18	22	22
	Rainfall mm	0	0	0	0	0	0	0
Sahiwal	Max.Temp.	34	28	32	33	35	37	38
	Min.Temp.	20	19	17	18	16	20	19
	Rainfall mm	0	0	0	0	0	0	0
Bahawalpur	Max.Temp.	36	34	34	35	37	38	39
	Min.Temp.	24	22	20	21	19	22	22
	Rainfall mm	0	1.2	0.6	0	0	0	0
D.G.Khan	Max.Temp.	31	33	34	35	37	38	39
	Min.Temp.	23	22	19	19	19	19	20
	Rainfall mm	1	0	0	0	0	0	0
Average Cotton Zone	**Max.Temp.**	**35.0**						
	Min.Temp.	**20.2**						
	Rainfall mm	**0.1**						

Source: **timeanddate.com& Accuweather**

Summary of weather forecast

Mild weather & some scattered rains are expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 3rd & 4th week September 2026, cotton pest scouting reports revealed that its population will be at a low ebb due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather conditions & prevailing crop growth stage infestation of this pest will be at a low ebb due to prevailing weather conditions.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40 °C with relative humidity below 60%. Based on current & next week dry weather conditions & prevailing crop growth stage it is predicted that population of this pest will be at a low ebb due to prevailing weather conditions.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast and crop at maturity stage, it is suggested that its population will decrease.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 2nd & 3rd weeks of September 2026 reports, Based on current & next week weather conditions

& prevailing crop growth stage so it is predicted that population of this pest will decrease during coming week.

CLCuV: The symptoms of this disease are expected to decrease due to coming week weather conditions.

Wilt: The symptoms of this disease are expected to decrease due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:

Sucking Insect Pests (Whitefly, Jassid & Thrips)

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.
4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.
7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.

Spray pesticides preferably in the evening time.

Chemical Control of Jassid		
Sr. No.	**Name of Pesticides**	**Name of Pesticides**
1	Dinotefuran 20% SG	100 g
2	Flonicamid 50% WDG	60 g
3	Flupyradifurone 200 SL	300 ml
4	Pymetrozine + Dinotefuran 60% WG	100 g

Chemical Control of Thrips		
Sr. No.	**Name of Pesticides**	**Name of Pesticides**
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Whitefly		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Pyrafluquinazon 20% WG	200 g
2	Spirotetramat 240 SC + Bio Power (IGR)	125 ml + Adjacent
3	Flonicamid 50% DF	80 g
4	Flonicamid + Spirotetramat 18 WP	200 g
5	Dinotefuran + Spirotetramat 20% SC	250 ml
6	Abamectin + Flonicamid 15.6% WG	350 g
7	Pyriproxifen + Spirotetramat 24% SC	200 ml
8	Pyriproxyfen 10.8 EC (IGR)	500 ml
9	Diofenthuran 500 SC	200 ml
10	Cyantraniliprola + Diofenthuran 48 SC	300 ml

Pink Bollworm

- Conduct pest scouting twice a week.
- For monitoring of PBW, install 1–2 pheromone traps per acre, and for control, install 9–12 traps per acre. Replace the pheromone capsules every 15 days.
- At the onset of a pink bollworm infestation, release 20 Trichogramma cards per acre. Reapply the cards every 15 days.

Chemical Control of Pink Bollworm		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Spintoram 120 SC	100-120 ml
2	Gama cyhalothrin 60 CS	100 ml
3	Chlorantraniliprole+Lambda cyhalothrin 150 ZC	160 ml
4	Lambda Cyhalothrin 2.5 EC	330 ml
5	Triazophos 40 EC	1000 ml
6	Deltamethrin + Triazophos 36 EC	500-600 ml
7	Bifenthrin 10 EC	250 ml
8	Beta Cyhalothrin + Triazophos 41.7% EC	400 ml
9	Lufenuron + Indoxacarb + Triazophos 43.6% EC	750-1000 ml
10	Cyantraniliprole + Lufenuron 40 SC	80 ml
11	Deltamethrin + Triazophos 36 EC	500-600 ml

Chemical Control of Mealy Bug		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Profenofox 50 EC	800 ml
2	Malathron 57% EC	500 ml
3	Sulfuxaflor 50% WG/240 SC	40-50 g/80-100 ml
4	Cypermathrin + Profunafox 440 EC	500 ml

Cotton Leaf Curl Virus

- Cotton Leaf Curl Virus (CLCuV) is transmitted rapidly by whitefly. Therefore, its management should include the judicious use of recommended insecticides along with biological control measures.
- Remove and destroy weeds growing in orchards, along water channels (Khals), field bunds and other nearby areas, as these may serve as alternate hosts for whitefly and virus infection.
- For improved crop growth and development, apply a foliar spray of 250 g Zinc Sulphate (33%), 250 g Borax, and 300 g Magnesium Sulphate dissolved in 100 litres of water.