DIRECTORATE GENERAL OF PEST WARNING & QUALITY CONTROL OF PESTICIDES PUNJAB, LAHORE.

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 3RD WEEK OF OCT, 2026

SUMMARY

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL


TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %															BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL								BELOW ETL							ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MULTAN	77	405	0.0	0.0	0.0	5.2	0.0	0.0	6.5	0.0	76.6	46.8	44.2	0.0	0.0	93.5	0.0	0.0	9.1	0.0	0.0	0.0	22.1	0.0	0.0	0.0	0.0	0.0
SHUJABAD	81	486	0.0	0.0	0.0	2.5	0.0	0.0	6.2	0.0	60.5	46.9	34.6	0.0	0.0	92.6	0.0	0.0	7.4	0.0	0.0	0.0	13.6	0.0	0.0	0.0	0.0	0.0
JALAL PUR P.W	91	470	0.0	0.0	0.0	2.2	0.0	0.0	5.5	0.0	51.6	44.0	42.9	0.0	0.0	94.5	0.0	0.0	4.4	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0
KHANEWAL	38	177	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	34.2	18.4	10.5	0.0	0.0	78.9	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0
JAHANIAN	50	218	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	40.0	30.0	22.0	0.0	0.0	66.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0
KABIR WALA	29	106	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.1	41.4	27.6	0.0	0.0	75.9	0.0	0.0	3.4	0.0	0.0	0.0	17.2	0.0	0.0	0.0	0.0	0.0
MIAN CHANNU	36	133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.7	33.3	22.2	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	2.8	1.5	0.0	0.0
VEHARI	40	108	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.5	55.0	20.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0
MAILSI	43	127	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	74.4	74.4	25.6	0.0	0.0	100.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BURE WALA	23	171	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.8	43.5	8.7	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LODHRAN	122	619	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	55.7	55.7	39.3	0.0	0.0	99.2	0.0	0.0	0.8	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0	0.0
DUYAPUR	121	659	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	38.0	47.9	24.8	0.0	0.0	100.0	0.0	0.0	1.7	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0
KEHROR PACCA	56	101	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.5	35.7	30.4	0.0	0.0	100.0	0.0	0.0	3.6	0.0	0.0	0.0	5.4	0.0	0.0	0.0	0.0	0.0
SAHIWAL	47	96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.2	44.7	19.1	0.0	0.0	44.7	0.0	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0	0.0
CHICHA WATNI	25	64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.0	40.0	20.0	0.0	0.0	44.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0
PAK PATTAN	28	68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78.6	60.7	17.9	0.0	0.0	35.7	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0
ARIF WALA	36	120	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	52.8	30.6	0.0	0.0	41.7	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0
OKARA	15	21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	46.7	53.3	0.0	0.0	53.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RENALA KHURD	17	43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.9	58.8	70.6	0.0	0.0	70.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DEPALPUR	16	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0	62.5	68.8	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL PUR	83	392	0.0	0.0	0.0	1.2	0.0	0.0	9.6	0.0	62.7	55.4	38.6	0.0	0.0	90.4	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0
A.P.EAST	65	268	0.0	0.0	0.0	15.4	0.0	0.0	13.8	0.0	55.4	43.1	30.8	0.0	0.0	86.2	0.0	0.0	10.8	0.0	0.0	0.0	13.8	0.0	0.0	0.0	0.0	0.0
YAZMAN	44	364	0.0	0.0	0.0	6.8	0.0	0.0	20.5	0.0	75.0	56.8	50.0	0.0	0.0	79.5	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0
HASILPUR	83	281	0.0	1.2	0.0	0.0	0.0	0.0	7.2	0.0	45.8	15.7	9.6	0.0	0.0	92.8	0.0	0.0	2.4	0.0	0.0	0.0	4.8	0.0	2.4	1.4	0.0	0.0
BAHAWAL NAGAR	115	636	0.0	0.0	0.0	0.9	0.0	0.0	0.9	0.0	57.4	33.0	13.0	0.0	0.0	53.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0
HAROON ABAD	112	584	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	60.7	30.4	13.4	0.0	0.0	59.8	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0
FORT ABBAS	115	747	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	66.1	38.3	21.7	0.0	0.0	53.9	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0
MINCHAN ABAD	30	182	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.3	50.0	16.7	0.0	0.0	43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHISHTIAN	79	446	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	58.2	31.6	19.0	0.0	0.0	58.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0
R.Y.KHAN	30	191	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	60.0	46.7	40.0	0.0	0.0	30.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KHAN PUR	70	429	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	51.4	44.3	37.1	0.0	0.0	28.6	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0
LIAQUAT PUR	70	382	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	55.7	37.1	38.6	0.0	0.0	30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SADIQ ABAD	70	438	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	52.9	40.0	32.9	0.0	0.0	30.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D.G.KHAN	80	266	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	82.5	80.0	78.8	0.0	0.0	32.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0
TAUNSA	110	712	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74.5	71.8	73.6	0.0	0.0	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KOT CHUTTA	85	289	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81.2	76.5	81.2	0.0	0.0	25.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MUZUFAR GARH	120	328	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.2	30.8	25.8	0.0	0.0	86.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
KOT ADDU	120	322	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	35.0	27.5	0.0	0.0	88.3	0.0	0.0	0.8	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
ALI PUR	120	354	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	40.0	27.5	0.0	0.0	90.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %															BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL								BELOW ETL							ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
JATOI	120	398	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	42.5	31.7	0.0	0.0	50.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAYYAH	88	301	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	47.7	25.0	17.0	0.0	0.0	40.9	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0
CHOBARA	97	156	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69.1	53.6	42.3	0.0	0.0	23.7	0.0	0.0	0.0	0.0	0.0	0.0	7.2	0.0	0.0	0.0	0.0	0.0
KAROR L.E.	115	268	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.2	66.1	23.5	0.0	0.0	22.6	0.0	0.0	0.9	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	0.0
RAJAN PUR	69	172	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.3	8.7	0.0	0.0	0.0	27.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0
JAM PUR	8	22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.5	12.5	0.0	0.0	0.0	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ROJHAN	8	29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.5	12.5	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
JHANG	12	18	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	0.0	0.0
18-HAZARI	15	28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.7	0.0	0.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
A.P SIAL	8	12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SHORKOT	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SUMUNDRI	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TANDLIANWALA	6	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIANWALI	60	274	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	56.7	41.7	20.0	0.0	0.0	91.7	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
PIPLAN	73	302	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	53.4	34.2	20.5	0.0	0.0	97.3	0.0	0.0	1.4	0.0	0.0	0.0	12.3	0.0	0.0	0.0	0.0	0.0
BHAKKAR	27	108	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	44.4	29.6	18.5	0.0	0.0	88.9	0.0	0.0	7.4	0.0	0.0	0.0	14.8	0.0	0.0	0.0	0.0	0.0
MANKERA	24	59	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	75.0	58.3	12.5	0.0	0.0	91.7	0.0	0.0	12.5	0.0	0.0	0.0	16.7	0.0	4.2	3.4	0.0	0.0
KALLOR KOT	20	68	0.0	0.0	0.0	5.0	0.0	0.0	10.0	0.0	75.0	55.0	25.0	0.0	0.0	90.0	0.0	0.0	5.0	0.0	0.0	0.0	15.0	0.0	5.0	4.4	0.0	0.0
DARYA KHAN	19	55	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	57.9	63.2	21.1	0.0	0.0	94.7	0.0	0.0	10.5	0.0	0.0	0.0	15.8	0.0	5.3	5.5	0.0	0.0
CURRENT WEEK 2026	**3365**	**14143**	**0.00**	**0.03**	**0.00**	**1.10**	**0.00**	**0.00**	**2.32**	**0.00**	**53.58**	**43.86**	**30.76**	**0.00**	**0.00**	**65.32**	**0.00**	**0.00**	**1.37**	**0.00**	**0.00**	**0.00**	**4.99**	**0.00**	**0.18**	**0.10**	**0.00**	**0.00**
PREVIOUS WEEK 2026	**4049**	**16702**	0.05	0.00	0.00	3.11	0.00	0.00	2.79	0.00	72.88	64.44	50.56	0.00	0.00	65.77	0.47	0.00	1.53	0.00	0.00	0.00	5.78	0.00	0.10	0.04	0.10	0.14
CURRENT WEEK 2025	**2398**	**10666**	**0.00**	**0.00**	**0.00**	**1.92**	**0.00**	**0.00**	**4.96**	**0.00**	**79.02**	**71.23**	**55.84**	**0.00**	**0.00**	**65.72**	**0.00**	**0.00**	**2.63**	**0.00**	**0.00**	**0.00**	**17.51**	**0.00**	**0.38**	**0.20**	**0.00**	**0.00**
TOTAL 2026	**3365**	**14143**	**0**	**1**	**0**	**37**	**0**	**0**	**78**	**0**	**1803**	**1476**	**1035**	**0**	**0**	**2198**	**0**	**0**	**46**	**0**	**0**	**0**	**168**	**0**	**6**	**14**	**0**	**0**
TOTAL 2025	**2398**	**10666**	**0**	**0**	**0**	**46**	**0**	**0**	**119**	**0**	**1895**	**1708**	**1339**	**0**	**0**	**1576**	**0**	**0**	**63**	**0**	**0**	**0**	**420**	**0**	**9**	**21**	**0**	**0**


A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



PEST SITUATION ON COTTON CROP IN PUNJAB DURING 3rd WEEK OF OCTOBER, 2026

Whitefly: 0.00% above ETL spots have been observed during current week as compared to 0.05% in last week and 0.00% during the same corresponding period of last year. And 53.5% below ETL spots have been observed during current week as compared to 72.8% in last week and 79.2% during the same corresponding week of last year.

Jassid: 0.03% above ETL spots has been observed as compared to 0.0% in last week and same week of last year 0.0%. And 43.8% below ETL spots have been observed during current week as compared to 64.4% in last week and 71.2% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Jassid

S. NO.	TEHSIL	%AGE
1	HASILPUR	1.2

Thrips: 0.00% above ETL spots has been observed as compared to 0.0% during last week and for corresponding week of last year the infestation was 0.00%, while 30.7% below ETL spots have been observed during current week as compared to 50.5% in last week and 55.8% during the same corresponding period of last year.

Mealy Bug: 1.10% AETL spots of Mealy Bug have been observed as compared to 3.1% during last week and 1.92% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	JHANG	25.0	8	MAILSI	2.3
2	A.P.EAST	15.4	9	JALAL PUR P.W	2.2
3	YAZMAN	6.8	10	KHAN PUR	1.4
4	MULTAN	5.2	11	D.G.KHAN	1.3
5	KALLOR KOT	5.0	12	BAHAWAL PUR	1.2
6	DUYAPUR	5.0	13	LAYYAH	1.1
7	SHUJABAD	2.5	14	BAHAWAL NAGAR	0.9

Pink Boll Worm: 1.3% above ETL spots have been observed as compared to 1.5% in last week and 2.6% same corresponding period of the last year. And 4.99% below ETL spots have been observed as compared to 5.7 last week and 17.5% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	MANKERA	12.5	11	R.Y.KHAN	3.3
2	A.P.EAST	10.8	12	HASILPUR	2.4
3	DARYA KHAN	10.5	13	MAILSI	2.3
4	MULTAN	9.1	14	DUYAPUR	1.7
5	SHUJABAD	7.4	15	SADIQ ABAD	1.4
6	BHAKKAR	7.4	16	PIPLAN	1.4
7	KALLOR KOT	5.0	17	KAROR L.E.	0.9
8	JALAL PUR P.W	4.4	18	KOT ADDU	0.8
9	KEHROR PACCA	3.6	19	LODHRAN	0.8
10	KABIR WALA	3.4			

Armyworm: 0.00% spots (all considered above ETL) of Armyworm have been observed as compared to 0.00% in last week and 0.00% spots during the same corresponding period of the last year.

Wilt: 0.0% spots (all considered above ETL) of Wilt have been observed as compared to 0.1% in last week and 0.0% during the same corresponding period of the last year.

CLCuV: 0.18% spots (all considered above ETL) of CLCV have been observed as compared to 0.1% in last week and 0.38% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	DARYA KHAN	5.3	4	MIAN CHANNU	2.8
2	KALLOR KOT	5.0	5	HASILPUR	2.4
3	MANKERA	4.2			

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	35.2	23.0	50.0	0.0	34.4	20.1	69.5	0.0
Khanewal	33.9	23.9	50.0	0.0	34.7	18.2	66.4	0.0
Vehari	34.0	24.4	65.2	0.0	33.9	19.2	62.5	0.0
Lodhran	34.0	24.4	65.2	0.0	32.8	18.2	66.3	0.0
Okara	31.5	19.2	62.0	3.5	33.9	18.2	62.6	0.0
Sahiwal	31.2	19.5	62.4	2.0	32.4	18.8	61.5	0.0
Pakpattan	31.7	19.8	63.4	10.0	31.6	18.5	62.5	0.0
Bahawalpur	31.4	22.9	70.9	0.0	33.4	21.7	65.5	0.0
Bahawalnagar	32.2	21.1	63.6	0.0	35.6	19.3	51.6	0.0

R.Y.Khan	35.0	22.9	44.3	0.0	36.0	20.6	46.3	0.0
D.G. Khan	34.4	25.0	61.0	0.0	36.3	20.9	66.9	0.0
M.Garh	35.0	19.5	64.0	0.0	33.1	21.7	66.0	0.0
Rajanpur	33.7	23.7	64.4	0.0	35.6	20.3	62.1	0.0
Layyah	32.0	20.0	78.0	0.0	32.0	20.0	60.0	0.0
COTTON ZONE AVERAGE	**33.2**	**22.1**	**61.7**	**15.5**	**34.0**	**19.7**	**62.1**	**0.0**

Weather forecast for next 7 day in cotton zone

Division	Dated	21/10	22/10	23/10	24/10	25/10	26/10	27/10
Multan	**Max.Temp.**	36	36	36	35	36	36	36
	Min.Temp.	20	21	19	21	20	20	23
	Rainfall mm							
Sahiwal	**Max.Temp.**	36	36	36	35	35	35	34
	Min.Temp.	18	17	18	17	17	18	23
	Rainfall mm							
Bahawalpur	**Max.Temp.**	36	36	36	35	35	34	35
	Min.Temp.	19	19	17	20	20	19	22
	Rainfall mm				1.2			
D.G.Khan	**Max.Temp.**	36	36	36	35	35	36	35
	Min.Temp.	20	21	20	20	19	20	23
	Rainfall mm			0.3	1			
Average Cotton Zone	**Max.Temp.**	**35.5**						
	Min.Temp.	**19.7**						
	Rainfall mm	**0.1**						

Source: timeanddate.com& Accuweather

Summary of weather forecast

Mild weather & some scattered rains are expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 2nd & 3rd week October 2026, cotton pest scouting reports revealed that its population will be at a low ebb due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather

conditions & prevailing crop growth stage infestation of this pest will be at a low ebb due to prevailing weather conditions.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40 °C with relative humidity below 60%. Based on current & next week dry weather conditions & prevailing crop growth stage it is predicted that population of this pest will be at a low ebb due to prevailing weather conditions.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast and crop at maturity stage, it is suggested that its population will decrease.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 2nd & 3rd weeks of September 2026 reports, Based on current & next week weather conditions & prevailing crop growth stage so it is predicted that population of this pest will decrease during coming week.

CLCuV: The symptoms of this disease are expected to decrease due to coming week weather conditions.

Wilt: The symptoms of this disease are expected to decrease due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:

Sucking Insect Pests (Whitefly, Jassid & Thrips)

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.

4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.
7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.

Spray pesticides preferably in the evening time.

Chemical Control of Jassid		
Sr. No.	**Name of Pesticides**	**Name of Pesticides**
1	Dinotefuran 20% SG	100 g
2	Flonicamid 50% WDG	60 g
3	Flupyradifurone 200 SL	300 ml
4	Pymetrozine + Dinotefuran 60% WG	100 g

Chemical Control of Thrips		
Sr. No.	**Name of Pesticides**	**Name of Pesticides**
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Whitefly		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Pyrafluquinazon 20% WG	200 g
2	Spirotetramat 240 SC + Bio Power (IGR)	125 ml + Adjacent
3	Flonicamid 50% DF	80 g
4	Flonicamid + Spirotetramat 18 WP	200 g
5	Dinotefuran + Spirotetramat 20% SC	250 ml
6	Abamectin + Flonicamid 15.6% WG	350 g
7	Pyriproxifen + Spirotetramat 24% SC	200 ml
8	Pyriproxyfen 10.8 EC (IGR)	500 ml
9	Diofenthuran 500 SC	200 ml
10	Cyantraniliprola + Diofenthuran 48 SC	300 ml

Pink Bollworm

- Conduct pest scouting twice a week.
- For monitoring of PBW, install 1–2 pheromone traps per acre, and for control, install 9–12 traps per acre. Replace the pheromone capsules every 15 days.
- At the onset of a pink bollworm infestation, release 20 Trichogramma cards per acre. Reapply the cards every 15 days.

Chemical Control of Pink Bollworm		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Spintoram 120 SC	100-120 ml
2	Gama cyhalothrin 60 CS	100 ml
3	Chlorantraniliprole+Lambda cyhalothrin 150 ZC	160 ml
4	Lambda Cyhalothrin 2.5 EC	330 ml
5	Triazophos 40 EC	1000 ml
6	Deltamethrin + Triazophos 36 EC	500-600 ml
7	Bifenthrin 10 EC	250 ml
8	Beta Cyhalothrin + Triazophos 41.7% EC	400 ml
9	Lufenuron + Indoxacarb + Triazophos 43.6% EC	750-1000 ml
10	Cyantraniliprole + Lufenuron 40 SC	80 ml
11	Deltamethrin + Triazophos 36 EC	500-600 ml

Chemical Control of Mealy Bug		
Sr. No.	**Name of Pesticides**	**Dose Per Acre**
1	Profenofox 50 EC	800 ml
2	Malathron 57% EC	500 ml
3	Sulfuxaflor 50% WG/240 SC	40-50 g/80-100 ml
4	Cypermathrin + Profunafox 440 EC	500 ml

Cotton Leaf Curl Virus

- Cotton Leaf Curl Virus (CLCuV) is transmitted rapidly by whitefly. Therefore, its management should include the judicious use of recommended insecticides along with biological control measures.
- Remove and destroy weeds growing in orchards, along water channels (Khals), field bunds and other nearby areas, as these may serve as alternate hosts for whitefly and virus infection.
- For improved crop growth and development, apply a foliar spray of 250 g Zinc Sulphate (33%), 250 g Borax, and 300 g Magnesium Sulphate dissolved in 100 litres of water.