

DIRECTORATE GENERAL OF PEST WARNING & QUALITY CONTROL OF PESTICIDES PUNJAB, LAHORE.

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 3RD WEEK SEPTEMBER 2026

SUMMARY


%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %														BOLLWORMS %						CLCV		Wilt			
			ABOVE ETL								BELOW ETL						ABOVE ETL				BELOW ETL		Incidence		Incidence			
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
MULTAN	107	493	0.0	0.0	0.0	11.2	0.0	0.0	0.9	0.0	100.0	100.0	100.0	0.0	0.0	99.1	0.0	0.0	4.7	0.0	0.0	0.0	16.8	0.0	0.0	0.0	0.0	0.0
SHUJABAD	120	521	0.0	0.0	0.0	7.5	0.0	0.0	4.2	0.8	100.0	100.0	100.0	0.0	0.0	87.5	7.5	0.0	4.2	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
JALAL PUR P.W	115	557	0.0	0.0	0.0	8.7	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	97.4	2.6	0.0	2.6	0.0	0.0	0.0	7.8	0.0	0.0	0.0	0.0	0.0
KHANEWAL	95	400	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	100.0	98.9	58.9	0.0	0.0	52.6	0.0	0.0	1.1	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0	0.0
JAHANIAN	88	340	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	100.0	100.0	54.5	0.0	0.0	60.2	1.1	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0
KABIR WALA	73	185	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	100.0	100.0	64.4	0.0	0.0	100.0	0.0	0.0	1.4	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0
MIAN CHANNU	66	361	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	100.0	100.0	34.8	0.0	0.0	100.0	0.0	0.0	6.1	0.0	0.0	0.0	7.6	0.0	1.5	0.8	0.0	0.0
VEHARI	148	398	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	100.0	100.0	24.3	0.0	0.0	100.0	0.0	0.0	1.4	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0
MAILSI	124	432	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	100.0	100.0	16.1	0.0	0.0	92.7	0.0	0.0	0.8	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0
BURE WALA	72	247	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	100.0	100.0	26.4	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0
LODHRAN	182	865	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	92.9	7.1	0.0	0.0	0.0	0.0	0.0	7.1	0.0	0.0	0.0	0.0	0.0
DUYAPUR	108	682	0.0	0.0	0.0	6.5	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	4.6	0.0	0.0	0.0	9.3	0.0	0.0	0.0	0.0	0.0
KEHROR PACCA	72	156	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	97.2	2.8	0.0	1.4	0.0	0.0	0.0	8.3	0.0	0.0	0.0	0.0	0.0
SAHIWAL	75	168	1.3	2.7	0.0	4.0	0.0	0.0	0.0	0.0	54.7	70.7	48.0	0.0	0.0	36.0	0.0	0.0	1.3	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0
CHICHA WATNI	50	131	4.0	6.0	0.0	2.0	0.0	0.0	0.0	0.0	56.0	68.0	42.0	0.0	0.0	40.0	0.0	0.0	4.0	0.0	0.0	0.0	14.0	0.0	0.0	0.0	0.0	0.0
PAK PATTAN	46	123	4.3	0.0	0.0	2.2	0.0	0.0	0.0	0.0	95.7	100.0	34.8	0.0	0.0	41.3	0.0	0.0	0.0	0.0	0.0	0.0	8.7	0.0	0.0	0.0	0.0	0.0
ARIF WALA	61	146	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	100.0	98.4	34.4	0.0	0.0	39.3	0.0	0.0	0.0	0.0	0.0	0.0	9.8	0.0	0.0	0.0	0.0	0.0
OKARA	19	31	5.3	15.8	0.0	10.5	0.0	0.0	0.0	0.0	94.7	84.2	100.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0
RENALA KHURD	33	79	3.0	6.1	0.0	3.0	0.0	0.0	0.0	0.0	97.0	93.9	100.0	0.0	0.0	0.0	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DEPALPUR	27	71	3.7	7.4	0.0	0.0	0.0	0.0	0.0	0.0	96.3	92.6	100.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL PUR	88	495	2.3	0.0	0.0	17.0	0.0	0.0	8.0	0.0	97.7	100.0	100.0	0.0	0.0	92.0	14.8	0.0	1.1	0.0	0.0	0.0	9.1	0.0	0.0	0.0	0.0	0.0
A.P.EAST	136	550	1.5	0.0	0.0	16.2	0.0	0.0	3.7	0.0	98.5	100.0	100.0	0.0	0.0	84.6	2.2	0.0	0.0	0.0	0.0	0.0	14.0	0.0	4.4	2.5	0.0	0.0
YAZMAN	116	801	4.3	1.7	0.0	22.4	0.0	0.0	2.6	0.0	95.7	98.3	100.0	0.0	0.0	73.3	5.2	0.0	1.7	0.0	0.0	0.0	19.0	0.0	0.0	0.0	0.0	0.0
HASILPUR	130	562	1.5	0.0	0.0	6.2	0.0	0.0	0.8	0.0	98.5	100.0	100.0	0.0	0.0	99.2	14.6	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.8	0.5	0.8	0.5
BAHAWAL NAGAR	120	725	0.8	0.0	0.0	1.7	0.0	0.0	0.0	0.0	99.2	100.0	100.0	0.0	0.0	48.3	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0
HAROON ABAD	107	644	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	43.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.9	0.8
FORT ABBAS	100	700	4.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	96.0	100.0	100.0	0.0	0.0	40.0	0.0	0.0	1.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	1.0	0.4
MINCHAN ABAD	33	163	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	39.4	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0
CHISHTIAN	88	534	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	22.7	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0
R.Y.KHAN	92	470	7.6	0.0	0.0	13.0	0.0	0.0	0.0	0.0	92.4	100.0	100.0	0.0	0.0	25.0	0.0	0.0	4.3	0.0	0.0	0.0	7.6	0.0	0.0	0.0	0.0	0.0
KHAN PUR	62	317	4.8	0.0	0.0	6.5	0.0	0.0	0.0	0.0	95.2	100.0	100.0	0.0	0.0	27.4	0.0	0.0	4.8	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0
LIAQUAT PUR	100	586	1.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	99.0	100.0	100.0	0.0	0.0	26.0	0.0	0.0	3.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0
SADIQ ABAD	106	724	5.7	0.0	0.0	4.7	0.0	0.0	0.0	0.0	94.3	100.0	100.0	0.0	0.0	27.4	0.0	0.0	0.9	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0
D.G.KHAN	203	598	1.0	0.0	0.0	7.9	0.0	0.0	0.0	0.0	99.0	100.0	100.0	0.0	0.0	27.6	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.5	0.8	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL																													
TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %															BOLLWORMS %							CLCV		Wilt		
			ABOVE ETL									BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence		
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	Lace Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	Lace Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area	
TAUNSA	135	1040	2.2	0.0	0.0	4.4	0.0	0.0	0.0	0.0	97.8	100.0	100.0	0.0	0.0	16.3	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KOT CHUTTA	110	320	1.8	0.0	0.0	9.1	0.0	0.0	0.0	0.0	98.2	100.0	100.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MUZUFAR GARH	105	341	1.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	84.8	85.7	85.7	0.0	0.0	100.0	0.0	0.0	1.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0
KOT ADDU	120	402	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	82.5	0.0	0.0	2.5	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0
ALI PUR	120	386	0.0	0.0	0.0	5.8	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	2.5	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0
JATOI	120	412	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	1.7	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0
LAYYAH	97	256	5.2	0.0	0.0	7.2	0.0	0.0	0.0	0.0	94.8	85.6	74.2	0.0	0.0	12.4	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0
CHOBARA	78	113	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	94.9	92.3	60.3	0.0	0.0	9.0	0.0	0.0	1.3	0.0	0.0	0.0	7.7	0.0	1.3	2.7	0.0	0.0	0.0
KAROR L.E.	114	260	0.9	0.0	0.0	1.8	0.0	0.0	0.0	0.0	98.2	78.1	60.5	0.0	0.0	11.4	0.0	0.0	0.9	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0
RAJAN PUR	107	404	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	79.4	57.9	0.0	0.0	0.0	43.9	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0	0.0	0.0
JAM PUR	53	231	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.3	50.9	0.0	0.0	0.0	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ROJHAN	15	60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	66.7	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3	0.0	0.0	0.0	0.0	0.0	0.0
JHANG	25	68	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	40.0	44.0	12.0	0.0	0.0	32.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18-HAZARI	15	28	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	26.7	20.0	13.3	0.0	0.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A.P SIAL	9	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.4	11.1	0.0	0.0	0.0	44.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SHORKOT	6	10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
T.T.SINGH	65	182	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	86.2	100.0	47.7	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0
GOJRA	23	38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	91.3	0.0	0.0	30.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PIR MAHAL	47	153	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	34.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SUMUNDRI	23	30	0.0	4.3	0.0	4.3	0.0	0.0	0.0	0.0	100.0	95.7	100.0	0.0	0.0	65.2	0.0	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0
TANDLIANWALA	30	46	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MIANWALI	152	652	2.0	0.0	0.0	5.9	0.0	0.0	1.3	0.0	98.0	100.0	100.0	0.0	0.0	98.7	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	3.3	2.9	0.0	0.0	0.0
PIPLAN	90	361	2.2	0.0	0.0	5.6	0.0	0.0	0.0	0.0	97.8	100.0	100.0	0.0	0.0	100.0	0.0	0.0	2.2	0.0	0.0	0.0	12.2	0.0	1.1	0.6	0.0	0.0	0.0
BHAKKAR	44	112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	47.7	0.0	0.0	2.3	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0
MANKERA	34	55	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	100.0	100.0	100.0	0.0	0.0	47.1	0.0	0.0	2.9	0.0	0.0	0.0	2.9	0.0	2.9	3.6	0.0	0.0	0.0
KALLOR KOT	29	111	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	100.0	100.0	100.0	0.0	0.0	96.6	0.0	0.0	6.9	0.0	0.0	0.0	3.4	0.0	3.4	4.5	0.0	0.0	0.0
DARYA KHAN	40	69	2.5	2.5	0.0	0.0	0.0	0.0	2.5	0.0	97.5	97.5	100.0	7.5	0.0	57.5	0.0	0.0	2.5	0.0	0.0	0.0	2.5	0.0	2.5	2.9	0.0	0.0	0.0
CURRENT WEEK 2026	4968	20409	1.2	0.4	0.0	5.4	0.0	0.0	0.5	0.0	95.6	95.4	80.6	0.1	0.0	64.5	1.4	0.0	1.4	0.0	0.0	0.0	5.7	0.0	0.4	0.3	0.1	0.1	0.1
PREVIOUS WEEK 2026	5203	22210	1.7	0.5	0.0	5.1	0.0	0.0	0.5	0.0	96.6	96.5	81.4	0.1	0.0	58.6	0.0	0.0	1.7	0.0	0.0	0.0	6.3	0.0	0.9	1.1	0.1	0.1	0.1
CURRENT WEEK 2025	3429	15431	0.7	1.0	0.0	5.0	0.0	0.0	1.2	0.0	93.3	92.8	83.0	0.0	0.0	51.4	1.3	0.0	0.7	0.0	0.0	0.0	9.7	0.0	2.1	2.7	0.0	0.0	0.0
TOTAL 2026	4968	20409	61	18	0	266	0	0	27	1	4749	4741	4005	3	0	3203	69	0	71	0	0	0	285	0	19	58	3	11	
TOTAL 2025	3429	15431	24	33	0	171	0	0	40	0	3198	3183	2846	0	0	1761	45	0	24	0	1	0	332	0	73	422	0	0	


A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



PEST SITUATION ON COTTON CROP IN PUNJAB DURING 3rd WEEK OF SEPTEMBER, 2026

Whitefly: 1.23% above ETL spots have been observed during current week as compared to 1.67% in last week and 0.70% during the same corresponding period of last year. And 95.60% below ETL spots have been observed during current week as compared to 96.6% in last week and 93.26% during the same corresponding week of last year.

Tehsil wise percentage of hot spots of Whitefly

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	R.Y.KHAN	7.6	14	TAUNSA	2.2
2	SADIQ ABAD	5.7	15	PIPLAN	2.2
3	OKARA	5.3	16	MIANWALI	2.0
4	LAYYAH	5.2	17	KOT CHUTTA	1.8
5	KHAN PUR	4.8	18	HASILPUR	1.5
6	PAK PATTAN	4.3	19	A.P.EAST	1.5
7	YAZMAN	4.3	20	SAHIWAL	1.3
8	CHICHA WATNI	4.0	21	LIAQUAT PUR	1.0
9	FORT ABBAS	4.0	22	D.G.KHAN	1.0
10	DEPALPUR	3.7	23	MUZUFAR GARH	1.0
11	RENALA KHURD	3.0	24	KAROR L.E.	0.9
12	DARYA KHAN	2.5	25	BAHAWAL NAGAR	0.8
13	BAHAWAL PUR	2.3			

Jassid: 0.36% above ETL spots has been observed as compared to 0.50% in last week and same week of last year 0.96%. And 95.4% below ETL spots have been observed during current week as compared to 96.4% in last week and 92.8% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Jassid

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	OKARA	15.8	6	SAHIWAL	2.7
2	DEPALPUR	7.4	7	DARYA KHAN	2.5
3	RENALA KHURD	6.1	8	YAZMAN	1.7
4	CHICHA WATNI	6.0	9	ARIF WALA	1.6
5	SUMUNDRI	4.3	10	KHANEWAL	1.1

Thrips: 0.00% above ETL spots has been observed as compared to 0.02% during last week and for corresponding week of last year the infestation was 0.00%, while 80.6% below ETL spots have been observed during current week as compared to 81.3% in last week and 83.0% during the same corresponding period of last year.

Mealy Bug: 5.35% AETL spots of Mealy Bug have been observed as compared to 5.07% during last week and 4.99% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	YAZMAN	22.4	24	SADIQ ABAD	4.7
2	BAHAWAL PUR	17.0	25	TAUNSA	4.4
3	A.P.EAST	16.2	26	SUMUNDRI	4.3
4	R.Y.KHAN	13.0	27	BURE WALA	4.2
5	MULTAN	11.2	28	KOT ADDU	4.2
6	OKARA	10.5	29	SAHIWAL	4.0
7	KOT CHUTTA	9.1	30	MUZUFAR GARH	3.8
8	JALAL PUR P.W	8.7	31	RENALA KHURD	3.0
9	JHANG	8.0	32	MINCHAN ABAD	3.0
10	D.G.KHAN	7.9	33	HAROON ABAD	2.8
11	SHUJABAD	7.5	34	KABIR WALA	2.7
12	LAYYAH	7.2	35	CHISHTIAN	2.3
13	FORT ABBAS	7.0	36	PAK PATTAN	2.2
14	LIAQUAT PUR	7.0	37	TANDLIANWALA	2.0
15	18-HAZARI	6.7	38	VEHARI	2.0
16	DUYAPUR	6.5	39	CHICHA WATNI	2.0
17	KHAN PUR	6.5	40	KAROR L.E.	1.8
18	HASILPUR	6.2	41	BAHAWAL NAGAR	1.7
19	MIANWALI	5.9	42	MAILSI	1.6
20	ALI PUR	5.8	43	T.T.SINGH	1.5
21	PIPLAN	5.6	44	MIAN CHANNU	1.5
22	LODHRAN	5.5	45	JAHANIAN	1.1
23	JATOI	5.0	46	RAJAN PUR	0.9

Pink Boll Worm: 1.43% above ETL spots have been observed as compared to 1.69% in last week and 0.70% same corresponding period of the last year. And 6.30% below ETL spots have been observed as compared to 5.99% in last week and 6.95% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	DEPALPUR	11.1	18	DARYA KHAN	2.5
2	KALLOR KOT	6.9	19	BHAKKAR	2.3
3	MIAN CHANNU	6.1	20	PIPLAN	2.2
4	RENALA KHURD	6.1	21	YAZMAN	1.7
5	OKARA	5.3	22	JATOI	1.7
6	KHAN PUR	4.8	23	KEHROR PACCA	1.4
7	MULTAN	4.7	24	KABIR WALA	1.4
8	DUYAPUR	4.6	25	VEHARI	1.4
9	R.Y.KHAN	4.3	26	SAHIWAL	1.3
10	SHUJABAD	4.2	27	CHOBARA	1.3
11	CHICHA WATNI	4.0	28	BAHAWAL PUR	1.1
12	JHANG	4.0	29	KHANEWAL	1.1
13	LIAQUAT PUR	3.0	30	FORT ABBAS	1.0
14	MANKERA	2.9	31	MUZUFAR GARH	1.0
15	JALAL PUR P.W	2.6	32	SADIQ ABAD	0.9

16	KOT ADDU	2.5	33	KAROR L.E.	0.9
17	ALI PUR	2.5	34	MAILSI	0.8

Armyworm: 0.00% spots (all considered above ETL) of Armyworm have been observed as compared to 0.00% in last week and 0.03% spots during the same corresponding period of the last year.

Wilt: 0.1% spots (all considered above ETL) of Wilt have been observed as compared to 0.1% in last week and 0.0% during the same corresponding period of the last year.

CLCuV: 0.38% spots (all considered above ETL) of CLCV have been observed as compared to 0.9% in last week and 2.13% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	A.P.EAST	4.4	6	MIAN CHANNU	1.5
2	KALLOR KOT	3.4	7	CHOBARA	1.3
3	MIANWALI	3.3	8	PIPLAN	1.1
4	MANKERA	2.9	9	HASILPUR	0.8
5	DARYA KHAN	2.5	10	D.G.KHAN	0.5

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	37.7	25.8	46.6	10.8	36.0	25.6	60.4	0.0
Khanewal	37.0	26.1	48.6	8.1	35.3	27.0	68.9	0.0
Vehari	36.9	26.6	51.1	12.9	36.6	27.3	60.6	0.0
Lodhran	36.5	26.5	55.7	4.6	35.0	25.4	68.4	0.0
Okara	35.2	25.3	72.0	2.5	36.5	26.3	70.3	0.0
Sahiwal	35.7	26.1	68.0	1.0	35.8	26.7	71.5	0.0
Pakpattan	34.8	25.8	69.0	5.0	36.2	26.1	70.4	0.0
Bahawalpur	36.6	27.4	66.8	9.3	36.1	28.6	69.4	0.0
Bahawalnagar	37.1	25.6	56.7	12.0	37.5	26.2	64.6	0.0
R.Y.Khan	43.4	29.3	31.0	4.3	36.5	25.3	68.5	0.0
D.G. Khan	38.7	29.9	64.0	6.0	37.0	26.3	70.3	0.0
M.Garh	36.7	27.6	65.9	3.6	35.9	28.1	64.4	12.9
Rajanpur	38.7	29.3	65.7	0.0	37.0	27.0	65.8	0.0
Layyah	37.0	28.0	50.0	0.0	39.1	30.9	60.3	2.0
COTTON ZONE AVERAGE	37.28	27.09	57.93	-	36.46	26.91	66.69	-

Weather forecast for next 7 day in cotton zone

Division	Dated	22-9	23-9	24-9	25-9	26-9	27-9	28-9	29-9	30-9
Multan	Max.Temp.	40	42	41	40	39	41	41	40	36
	Min.Temp.	24	27	25	26	26	26	27	26	27
	Rainfall mm	0	0	0	0	0	0	0	0	0
Sahiwal	Max.Temp.	38	40	39	37	37	40	40	40	36
	Min.Temp.	22	23	24	24	21	22	25	21	27
	Rainfall mm	0	0	0	0	0	0	0	0	0
Bahawalpur	Max.Temp.	40	42	42	42	39	39	39	40	37
	Min.Temp.	24	27	27	27	26	26	25	25	22
	Rainfall mm	0	0	0	0	0	0	0	0	0
D.G.Khan	Max.Temp.	40	41	41	40	39	41	40	40	36
	Min.Temp.	24	25	26	26	26	24	24	27	27
	Rainfall mm	0	0	0	0	0	0	0	0	0
Average Cotton Zone	Max.Temp.	40								
	Min.Temp.	25								
	Rainfall mm	0								

Source: timeanddate.com & [Accuweather](https://www.accuweather.com)

Summary of weather forecast

Moderately hot & some cloudy weather is expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 2nd & 3rd week September 2026, cotton pest scouting reports revealed that its population will decrease due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather conditions & prevailing crop growth stage infestation of this pest will decrease during the coming week.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40°C with relative humidity below 60%. Based on current & next week dry weather

conditions & prevailing crop growth stage it is predicted that population of this pest will decrease during the coming week.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast and crop at maturity stage, it is suggested that its population will increase.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 2nd & 3rd weeks of September 2026 reports, Based on current & next week weather conditions & prevailing crop growth stage so it is predicted that population of this pest will increase during coming week.

CLCuV: The symptoms of this disease decreasing as compared to previous week on susceptible varieties due to increasing whitefly population.

Wilt: The symptoms of this disease may expected to sustain due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:

Sucking Insect Pests (Whitefly, Jassid & Thrips)

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.
4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.

7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.
10. Spray pesticides preferably in the evening time.

Chemical Control of Jassid		
Sr. No.	Name of Pesticides	Name of Pesticides
1	Dinotefuran 20% SG	100 g
2	Flonicamid 50% WDG	60 g
3	Flupyradifurone 200 SL	300 ml
4	Pymetrozine + Dinotefuran 60% WG	100 g

Chemical Control of Thrips		
Sr. No.	Name of Pesticides	Name of Pesticides
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Whitefly		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Pyrafluquinazon 20% WG	200 g
2	Spirotetramat 240 SC + Bio Power (IGR)	125 ml + Adjacent
3	Flonicamid 50% DF	80 g
4	Flonicamid + Spirotetramat 18 WP	200 g
5	Dinotefuran + Spirotetramat 20% SC	250 ml
6	Abamectin + Flonicamid 15.6% WG	350 g
7	Pyriproxifen + Spirotetramat 24% SC	200 ml
8	Pyriproxifen 10.8 EC (IGR)	500 ml
9	Diofenthuran 500 SC	200 ml
10	Cyantraniliprola + Diofenthuran 48 SC	300 ml

Pink Bollworm

- Conduct pest scouting twice a week.
- For monitoring of PBW, install 1–2 pheromone traps per acre, and for control, install 9–12 traps per acre. Replace the pheromone capsules every 15 days.

- At the onset of a pink bollworm infestation, release 20 Trichogramma cards per acre. Reapply the cards every 15 days.

Chemical Control of Pink Bollworm		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Spintoram 120 SC	100-120 ml
2	Gama cyhalothrin 60 CS	100 ml
3	Chlorantraniliprole+Lambda cyhalothrin 150 ZC	160 ml
4	Lambda Cyhalothrin 2.5 EC	330 ml
5	Triazophos 40 EC	1000 ml
6	Deltamethrin + Triazophos 36 EC	500-600 ml
7	Bifenthrin 10 EC	250 ml
8	Beta Cyhalothrin + Triazophos 41.7% EC	400 ml
9	Lufenuron + Indoxacarb + Triazophos 43.6% EC	750-1000 ml
10	Cyantraniliprole + Lufenuron 40 SC	80 ml
11	Deltamethrin + Triazophos 36 EC	500-600 ml

Chemical Control of Mealy Bug		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Profenofos 50 EC	800 ml
2	Malathion 57% EC	500 ml
3	Sulfuxaflor 50% WG/240 SC	40-50 g/80-100 ml
4	Cypermethrin + Profunafos 440 EC	500 ml

Cotton Leaf Curl Virus

- Cotton Leaf Curl Virus (CLCuV) is transmitted rapidly by whitefly. Therefore, its management should include the judicious use of recommended insecticides along with biological control measures.
- Remove and destroy weeds growing in orchards, along water channels (Khals), field bunds and other nearby areas, as these may serve as alternate hosts for whitefly and virus infection.
- For improved crop growth and development, apply a foliar spray of 250 g Zinc Sulphate (33%), 250 g Borax, and 300 g Magnesium Sulphate dissolved in 100 litres of water.