

DIRECTORATE GENERAL OF PEST WARNING & QUALITY CONTROL OF PESTICIDES PUNJAB, LAHORE.

WEEKLY PEST SCOUTING REPORT OF COTTON CROP FOR THE 2nd WEEK OF SEPTEMBER, 2026

SUMMARY


%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL

TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt		
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence		
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area	
MULTAN	96	400	1.0	0.0	0.0	7.3	0.0	0.0	2.1	99.0	100.0	100.0	0.0	0.0	97.9	0.0	5.2	0.0	0.0	0.0	14.6	0.0	0.0	0.0	0.0	0.0	0.0
SHUJABAD	113	514	0.0	0.0	0.0	6.2	0.0	0.0	3.5	100.0	100.0	100.0	0.0	0.0	85.8	0.0	3.5	0.0	0.0	0.0	8.0	0.0	1.8	2.5	0.0	0.0	0.0
JALAL PUR P.W	105	545	0.0	0.0	0.0	4.8	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	97.1	0.0	4.8	0.0	0.0	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0
KHANEWAL	134	728	0.0	0.0	0.0	0.7	0.0	0.0	0.0	100.0	100.0	67.9	0.0	0.0	53.0	0.0	0.7	0.0	0.0	0.0	10.4	0.0	0.0	0.0	0.0	0.0	0.0
JAHANIAN	108	448	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	42.6	0.0	0.0	54.6	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0
KABIR WALA	97	242	0.0	0.0	0.0	1.0	0.0	0.0	0.0	100.0	100.0	63.9	0.0	0.0	100.0	0.0	1.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0
MIAN CHANNU	88	320	0.0	0.0	0.0	6.8	0.0	0.0	0.0	100.0	100.0	47.7	0.0	0.0	100.0	0.0	8.0	0.0	0.0	0.0	11.4	0.0	3.4	2.2	0.0	0.0	0.0
VEHARI	130	438	0.0	0.0	0.0	2.3	0.0	0.0	0.0	100.0	100.0	43.1	0.0	0.0	100.0	0.0	1.5	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0
MAILSI	101	398	0.0	0.0	0.0	2.0	0.0	0.0	0.0	100.0	100.0	31.7	0.0	0.0	86.1	0.0	1.0	0.0	0.0	0.0	5.0	0.0	1.0	0.8	0.0	0.0	0.0
BURE WALA	68	287	0.0	0.0	0.0	4.4	0.0	0.0	0.0	100.0	100.0	47.1	0.0	0.0	100.0	0.0	1.5	0.0	0.0	0.0	8.8	0.0	0.0	0.0	0.0	0.0	0.0
LODHRAN	203	919	0.0	0.0	0.0	7.4	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	89.2	0.0	2.5	0.0	0.0	0.0	8.9	0.0	0.0	0.0	0.0	0.0	0.0
DUYAPUR	132	718	0.0	0.0	0.0	6.8	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	92.4	0.0	3.8	0.0	0.0	0.0	9.8	0.0	0.0	0.0	0.0	0.0	0.0
KEHROR PACCA	59	157	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	96.6	0.0	1.7	0.0	0.0	0.0	10.2	0.0	0.0	0.0	0.0	0.0	0.0
SAHIWAL	70	155	1.4	4.3	0.0	2.9	0.0	0.0	0.0	65.7	77.1	55.7	0.0	0.0	38.6	0.0	0.0	0.0	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0
CHICHA WATNI	40	128	5.0	10.0	0.0	2.5	0.0	0.0	0.0	67.5	80.0	55.0	0.0	0.0	37.5	0.0	2.5	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0
PAK PATTAN	38	112	2.6	2.6	0.0	2.6	0.0	0.0	0.0	97.4	97.4	34.2	0.0	0.0	39.5	0.0	0.0	0.0	0.0	0.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0
ARIF WALA	58	144	1.7	6.9	0.0	0.0	0.0	0.0	0.0	98.3	93.1	31.0	0.0	0.0	36.2	0.0	0.0	0.0	0.0	0.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0
OKARA	21	35	9.5	4.8	0.0	0.0	0.0	0.0	0.0	90.5	95.2	100.0	0.0	0.0	0.0	0.0	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RENALA KHURD	35	105	8.6	5.7	0.0	2.9	0.0	0.0	0.0	91.4	94.3	100.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DEPALPUR	18	52	11.1	16.7	0.0	0.0	0.0	0.0	0.0	88.9	83.3	100.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BAHAWAL PUR	135	688	3.0	0.0	0.0	12.6	0.0	0.0	5.9	97.0	100.0	100.0	0.0	0.0	86.7	0.0	0.0	0.0	0.0	0.0	9.6	0.0	2.2	0.7	0.0	0.0	0.0
A.P.EAST	125	726	0.0	0.0	0.0	20.8	0.0	0.0	1.6	100.0	100.0	100.0	0.0	0.0	92.8	0.0	0.0	0.0	0.0	0.0	12.8	0.0	10.4	16.9	0.0	0.0	0.0
YAZMAN	84	549	8.3	0.0	0.0	27.4	0.0	0.0	3.6	91.7	100.0	100.0	0.0	0.0	39.3	0.0	6.0	0.0	0.0	0.0	17.9	0.0	0.0	0.0	0.0	0.0	0.0
HASILPUR	123	576	4.9	0.0	0.0	8.9	0.0	0.0	0.0	95.1	100.0	100.0	0.0	0.0	91.1	0.0	0.8	0.0	0.0	0.0	2.4	0.0	2.4	2.4	1.6	1.0	0.0
BAHAWAL NAGAR	92	594	1.1	2.2	0.0	2.2	0.0	0.0	0.0	98.9	97.8	102.2	0.0	0.0	22.8	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0
HAROON ABAD	112	713	2.7	0.0	0.0	3.6	0.0	0.0	0.0	97.3	100.0	100.0	0.0	0.0	17.0	0.0	0.9	0.0	0.0	0.0	3.6	0.0	0.0	0.0	1.8	2.4	0.0
FORT ABBAS	94	675	2.1	1.1	0.0	4.3	0.0	0.0	0.0	97.9	98.9	100.0	0.0	0.0	21.3	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	1.1	0.6	0.0
MINCHAN ABAD	34	226	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	38.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CHISHTIAN	80	485	0.0	0.0	0.0	1.3	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	16.3	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	1.3	0.8	0.0
R.Y.KHAN	96	520	6.3	0.0	0.0	10.4	0.0	0.0	0.0	93.8	100.0	100.0	0.0	0.0	26.0	0.0	6.3	0.0	0.0	0.0	7.3	0.0	0.0	0.0	0.0	0.0	0.0
KHAN PUR	118	689	5.1	0.0	0.0	4.2	0.0	0.0	0.0	94.9	100.0	100.0	0.0	0.0	19.5	0.0	5.1	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0
LIAQUAT PUR	130	866	1.5	0.0	0.0	7.7	0.0	0.0	0.0	98.5	100.0	100.0	0.0	0.0	26.2	0.0	2.3	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0
SADIQ ABAD	136	912	3.7	0.0	0.0	4.4	0.0	0.0	0.0	96.3	100.0	100.0	0.0	0.0	22.8	0.0	2.9	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0
D.G.KHAN	151	408	0.7	0.0	0.0	5.3	0.0	0.0	0.0	99.3	100.0	100.0	0.0	0.0	27.2	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0

%AGE OF SPOTS ABOVE & BELOW ECONOMIC INJURY LEVEL																										
TEHSILS	TOTAL SPOTS VISITED	TOTAL AREA VISITED	SUCKING INSECT PESTS %													BOLLWORMS %							CLCV		Wilt	
			ABOVE ETL							BELOW ETL						ABOVE ETL				BELOW ETL			Incidence		Incidence	
			W.Fly	Jassid	Thrips	M.Bug	Mites	Aphid	Dusky Cotton Bug	W.Fly	Jassid	Thrips	Mites	Aphid	Dusky Cotton Bug	SBW	PBW	ABW	Army Worm	SBW	PBW	ABW	% Spots	% Area	% Spots	% Area
TAUNSA	100	869	4.0	0.0	0.0	4.0	0.0	0.0	0.0	96.0	100.0	100.0	0.0	0.0	16.0	0.0	0.0	0.0	0.0	6.0	0.0	1.0	0.9	0.0	0.0	
KOT CHUTTA	168	494	1.8	0.0	0.0	10.1	0.0	0.0	0.0	98.2	100.0	100.0	0.0	0.0	36.3	0.0	0.0	0.0	0.0	4.2	0.0	0.6	0.6	0.0	0.0	
MUZUFAR GARH	120	386	0.0	0.8	0.0	5.0	0.0	0.0	0.8	100.0	99.2	100.0	0.0	0.0	99.2	0.0	1.7	0.0	0.0	4.2	0.0	3.3	2.3	0.0	0.0	
KOT ADDU	120	412	0.0	0.0	0.0	1.7	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	78.3	0.0	1.7	0.0	0.0	6.7	0.0	0.8	0.2	0.0	0.0	
ALI PUR	120	452	0.8	0.0	0.0	6.7	0.0	0.0	0.0	99.2	100.0	100.0	0.0	0.0	98.3	0.0	2.5	0.0	0.0	5.8	0.0	0.0	0.0	0.0	0.0	
JATOI	120	461	0.0	0.0	0.0	5.8	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	5.0	0.0	0.8	2.6	0.0	0.0	
LAYYAH	110	291	6.4	0.9	0.0	0.9	0.0	0.0	0.0	93.6	79.1	68.2	0.0	0.0	6.4	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	
CHOBARA	90	140	0.0	0.0	0.0	2.2	0.0	0.0	0.0	93.3	93.3	65.6	0.0	0.0	5.6	0.0	2.2	0.0	0.0	6.7	0.0	1.1	0.7	0.0	0.0	
KAROR L.E.	139	314	2.2	0.0	0.0	0.7	0.0	0.0	0.0	89.2	68.3	61.9	0.0	0.0	5.0	0.0	0.0	0.0	0.0	7.2	0.0	0.0	0.0	0.0	0.0	
RAJAN PUR	103	374	0.0	0.0	0.0	1.9	0.0	0.0	0.0	100.0	94.2	0.0	0.0	0.0	31.1	0.0	0.0	0.0	0.0	7.8	0.0	0.0	0.0	0.0	0.0	
JAM PUR	114	493	0.9	0.0	0.0	0.0	0.0	0.0	0.0	97.4	84.2	0.0	0.0	0.0	28.1	0.0	1.8	0.0	0.0	7.0	0.0	0.0	0.0	0.0	0.0	
ROJHAN	25	114	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	84.0	0.0	0.0	0.0	36.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	
JHANG	17	40	0.0	0.0	0.0	11.8	0.0	0.0	0.0	47.1	17.6	29.4	0.0	0.0	41.2	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	0.0	0.0	
18-HAZARI	28	67	0.0	0.0	0.0	17.9	0.0	0.0	0.0	28.6	50.0	25.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	0.0	0.0	
A.P SIAL	11	17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54.5	0.0	18.2	0.0	0.0	27.3	0.0	0.0	0.0	0.0	9.1	0.0	0.0	0.0	0.0	0.0	
SHORKOT	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	33.3	0.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
T.T.SINGH	65	234	0.0	1.5	0.0	0.0	0.0	0.0	0.0	100.0	98.5	24.6	0.0	0.0	63.1	0.0	0.0	0.0	0.0	6.2	0.0	0.0	0.0	0.0	0.0	
GOJRA	24	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	54.2	0.0	0.0	16.7	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
PIR MAHAL	52	134	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	51.9	0.0	0.0	96.2	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	
SUMUNDRI	26	37	0.0	0.0	0.0	7.7	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	61.5	0.0	3.8	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	
TANDLIANWALA	34	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	55.9	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	
BHOWANA	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
MIANWALI	133	531	4.5	0.0	0.8	4.5	0.0	0.0	0.0	95.5	100.0	99.2	0.0	0.0	100.0	0.0	0.0	0.0	0.0	5.3	0.0	4.5	6.8	0.0	0.0	
PIPLAN	92	367	2.2	1.1	0.0	5.4	0.0	0.0	1.1	97.8	98.9	100.0	0.0	0.0	98.9	0.0	1.1	0.0	0.0	8.7	0.0	2.2	1.9	0.0	0.0	
ISA KHEL	15	85	6.7	0.0	0.0	0.0	0.0	0.0	0.0	93.3	100.0	100.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	
BHAKKAR	44	83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	0.0	0.0	34.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.4	0.0	0.0	
MANKERA	35	56	2.9	0.0	0.0	2.9	0.0	0.0	0.0	97.1	100.0	100.0	0.0	0.0	45.7	0.0	2.9	0.0	0.0	5.7	0.0	2.9	3.6	2.9	3.6	
KALLOR KOT	29	114	3.4	0.0	0.0	3.4	0.0	0.0	6.9	96.6	100.0	100.0	0.0	0.0	93.1	0.0	6.9	0.0	0.0	10.3	0.0	6.9	2.6	0.0	0.0	
DARYA KHAN	40	63	2.5	2.5	0.0	2.5	0.0	0.0	2.5	97.5	97.5	100.0	10.0	0.0	75.0	0.0	0.0	0.0	0.0	2.5	0.0	2.5	1.6	0.0	0.0	
CURRENT WEEK 2026	5203	22210	1.7	0.5	0.02	5.1	0.0	0.0	0.5	96.6	96.5	81.4	0.1	0.0	58.6	0.0	1.7	0.0	0.0	0.0	6.3	0.0	0.9	1.1	0.1	0.1
PREVIOUS WEEK 2026	8359	35858	1.4	0.7	0.1	3.8	0.0	0.0	0.3	95.9	96.0	80.8	0.0	0.0	55.8	0.0	1.3	0.0	0.0	6.0	0.0	1.0	1.3	0.1	0.2	
CURRENT WEEK 2025	4444	20580	0.6	1.7	0.0	5.8	0.0	0.0	0.5	97.7	96.4	87.2	0.2	0.0	50.6	0.0	0.4	0.0	0.0	0.0	7.0	0.0	3.2	4.0	0.0	0.0
TOTAL 2026	5203	22210	87	26	1	264	0	0	24	5026	5019	4234	4	0	3049	0	88	0	0	0	328	0	47	250	7	33
TOTAL 2025	4444	20580	25	74	0	258	0	0	21	4341	4282	3877	10	0	2249	0	16	0	2	0	309	0	143	823	0	0


A- PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(BOLLWORMS & CLCV)



PEST SITUATION REPORT ON COTTON CROP IN PUNJAB

(SUCKING INSECT PESTS)



PEST SITUATION ON COTTON CROP IN PUNJAB DURING 2nd WEEK OF SEPTEMBER, 2026

Whitefly: 1.67% above ETL spots have been observed during current week as compared to 1.42% in last week and 0.56% during the same corresponding period of last year. And 96.60% below ETL spots have been observed during current week as compared to 95.86% in last week and 97.68% during the same corresponding week of last year.

Tehsil wise percentage of hot spots of Whitefly

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	DEPALPUR	11.1	17	HARROON ABAD	2.7
2	OKARA	9.5	18	PAK PATTAN	2.6
3	RENALA KHURD	8.6	19	DARYA KHAN	2.5
4	YAZMAN	8.3	20	PIPLAN	2.2
5	ISA KHEL	6.7	21	KAROR L.E.	2.2
6	LAYYAH	6.4	22	FORT ABBAS	2.1
7	R.Y.KHAN	6.3	23	KOT CHUTTA	1.8
8	KHAN PUR	5.1	24	ARIF WALA	1.7
9	CHICHA WATNI	5.0	25	LIAQUAT PUR	1.5
10	HASILPUR	4.9	26	SAHIWAL	1.4
11	MIANWALI	4.5	27	BAHAWAL NAGAR	1.1
12	TAUNSA	4.0	28	MULTAN	1.0
13	SADIQ ABAD	3.7	29	JAM PUR	0.9
14	KALLOR KOT	3.4	30	ALI PUR	0.8
15	BAHAWAL PUR	3.0	31	D.G.KHAN	0.7
16	MANKERA	2.9			

Jassid: 0.50% above ETL spots has been observed as compared to 0.72% in last week and same week of last year 1.67%. And 96.46% below ETL spots have been observed during current week as compared to 96.04% in last week and 96.35% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Jassid

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	DEPALPUR	16.7	8	DARYA KHAN	2.5
2	CHICHA WATNI	10.0	9	BAHAWAL NAGAR	2.2
3	ARIF WALA	6.9	10	T.T.SINGH	1.5
4	RENALA KHURD	5.7	11	PIPLAN	1.1
5	OKARA	4.8	12	FORT ABBAS	1.1
6	SAHIWAL	4.3	13	LAYYAH	0.9
7	PAK PATTAN	2.6	14	MUZUFAR GARH	0.8

Thrips: 0.02% above ETL spots has been observed as compared to 0.08% during last week and for corresponding week of last year the infestation was 0.00%, while

81.38% below ETL spots have been observed during current week as compared to 80.84% in last week and 87.24% during the same corresponding period of last year.

Tehsil wise percentage of hot spots of Thrips

S. NO.	TEHSIL	%AGE
1	MIANWALI	0.8

Mealy Bug: 5.07% AETL spots of Mealy Bug have been observed as compared to 3.80% during last week and 5.81% spots during the same corresponding week of the last year i.e. 2025.

Tehsil wise percentage of hot spots of Mealy Bug

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	YAZMAN	27.4	24	BURE WALA	4.4
2	A.P.EAST	20.8	25	FORT ABBAS	4.3
3	18-HAZARI	17.9	26	KHAN PUR	4.2
4	BAHAWAL PUR	12.6	27	TAUNSA	4.0
5	JHANG	11.8	28	HAROON ABAD	3.6
6	R.Y.KHAN	10.4	29	KALLOR KOT	3.4
7	KOT CHUTTA	10.1	30	RENALA KHURD	2.9
8	HASILPUR	8.9	31	SAHIWAL	2.9
9	LIAQUAT PUR	7.7	32	MANKERA	2.9
10	SUMUNDRI	7.7	33	PAK PATTAN	2.6
11	LODHRAN	7.4	34	DARYA KHAN	2.5
12	MULTAN	7.3	35	CHICHA WATNI	2.5
13	MIAN CHANNU	6.8	36	VEHARI	2.3
14	DUYAPUR	6.8	37	CHOBARA	2.2
15	ALI PUR	6.7	38	BAHAWAL NAGAR	2.2
16	SHUJABAD	6.2	39	MAILSI	2.0
17	JATOI	5.8	40	RAJAN PUR	1.9
18	PIPLAN	5.4	41	KOT ADDU	1.7
19	D.G.KHAN	5.3	42	CHISHTIAN	1.3
20	MUZUFAR GARH	5.0	43	KABIR WALA	1.0
21	JALAL PUR P.W	4.8	44	LAYYAH	0.9
22	MIANWALI	4.5	45	KHANEWAL	0.7
23	SADIQ ABAD	4.4	46	KAROR L.E.	0.7

Pink Boll Worm: 1.69% above ETL spots have been observed as compared to 1.28% in last week and 0.36% same corresponding period of the last year. And 6.30% below ETL spots have been observed as compared to 5.99% in last week and 6.95% during same corresponding period of last year.

Tehsil wise percentage of hot spots of PBW

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	OKARA	9.5	18	CHICHA WATNI	2.5
2	RENALA KHURD	8.6	19	LODHRAN	2.5
3	MIAN CHANNU	8.0	20	LIAQUAT PUR	2.3
4	KALLOR KOT	6.9	21	CHOBARA	2.2
5	R.Y.KHAN	6.3	22	JAM PUR	1.8

6	YAZMAN	6.0	23	KEHROR PACCA	1.7
7	DEPALPUR	5.6	24	MUZUFAR GARH	1.7
8	MULTAN	5.2	25	KOT ADDU	1.7
9	KHAN PUR	5.1	26	VEHARI	1.5
10	JALAL PUR P.W	4.8	27	BURE WALA	1.5
11	GOJRA	4.2	28	PIPLAN	1.1
12	SUMUNDRI	3.8	29	KABIR WALA	1.0
13	DUYAPUR	3.8	30	MAILSI	1.0
14	SHUJABAD	3.5	31	HAROON ABAD	0.9
15	SADIQ ABAD	2.9	32	HASILPUR	0.8
16	MANKERA	2.9	33	KHANEWAL	0.7
17	ALI PUR	2.5			

Armyworm: 0.00% spots (all considered above ETL) of Armyworm have been observed as compared to 0.00% in last week and 0.05% spots during the same corresponding period of the last year.

Wilt: 0.1% spots (all considered above ETL) of Wilt have been observed as compared to 0.1% in last week and 0.0% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of Wilt

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	KALLOR KOT	2.9	4	CHISHTIAN	1.3
2	HAROON ABAD	1.8	5	FORT ABBAS	1.1
3	HASILPUR	1.6			

CLCuV: 0.90% spots (all considered above ETL) of CLCV have been observed as compared to 0.98% in last week and 3.22% during the same corresponding period of the last year.

Tehsil wise percentage of hot spots of CLCuV

S. NO.	TEHSIL	%AGE	S.NO.	TEHSIL	%AGE
1	A.P.EAST	10.4	10	BAHAWAL PUR	2.2
2	KALLOR KOT	6.9	11	PIPLAN	2.2
3	MIANWALI	4.5	12	SHUJABAD	1.8
4	MIAN CHANNU	3.4	13	CHOBARA	1.1
5	MUZUFAR GARH	3.3	14	TAUNSA	1.0
6	MANKERA	2.9	15	MAILSI	1.0
7	DARYA KHAN	2.5	16	KOT ADDU	0.8
8	HASILPUR	2.4	17	JATOI	0.8
9	BHAKKAR	2.3	18	KOT CHUTTA	0.6

FORECAST FOR THE NEXT WEEK

Meteorological data of the current week 2025-2026

Districts	2026				2025			
	Temperature °C		R.H%	Rainfall (mm)	Temperature °C		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
Multan	39.2	28.2	50.6	0.0	32.0	25.1	65.3	50.3
Khanewal	38.1	27.7	46.1	0.0	32.1	25.4	71.4	36.5
Vehari	38.3	27.7	61.6	0.0	32.6	25.4	70.9	28.5
Lodhran	38.0	27.3	65.7	0.0	33.4	24.0	72.3	37.3
Okara	38.6	26.5	66.9	0.0	32.4	24.6	72.0	28.5
Sahiwal	38.2	27.1	65.0	0.0	32.8	25.1	70.5	14.0
Pakpattan	38.5	26.2	66.5	0.0	32.7	24.9	74.6	12.0
Bahawalpur	37.9	28.6	59.4	0.1	34.3	26.3	72.6	14.5
Bahawalnagar	39.8	27.2	49.4	0.2	34.5	25.9	80.9	40.6
R.Y.Khan	36.3	27.1	62.9	0.0	34.0	26.1	65.8	16.6
D.G. Khan	38.7	26.4	62.0	0.0	33.5	27.0	66.5	20.0
M.Garh	38.0	28.4	59.7	0.0	34.5	26.5	62.0	12.0
Rajanpur	39.9	28.3	66.7	0.0	33.0	29.1	65.1	6.0
Layyah	37.0	29.0	60.0	0.0	32.5	26.5	62.0	24.5
COTTON ZONE AVERAGE	38.31	27.56	60.17	-	33.16	25.86	69.40	-

Weather forecast for next 7 day in cotton zone

Division	Dated	16/9	17/9	18/9	19/9	20/9	21/9	22/9
Multan	Max.Temp.	41	35	35	38	40	43	43
	Min.Temp.	27	24	24	24	26	29	30
	Rainfall mm	11.6	3.7	3.1	0	0	0	0
Sahiwal	Max.Temp.	40	33	35	37	39	41	42
	Min.Temp.	23	23	23	22	23	26	27
	Rainfall mm	12.6	1.1	6.8	0	0	0	0
Bahawalpur	Max.Temp.	40	36	35	37	38	43	44
	Min.Temp.	26	24	24	24	26	28	30
	Rainfall mm	6.7	3.7	5	0	0	0	0
D.G.Khan	Max.Temp.	41	35	35	35	38	40	43
	Min.Temp.	25	24	25	24	26	29	29
	Rainfall mm	4	0	0	0	0	0	0
Average Cotton Zone	Max.Temp.	38.6						
	Min.Temp.	25.5						
	Rainfall mm	2.1						

Source: timeanddate.com & [Accuweather](https://Accuweather.com)

Summary of weather forecast

Moderately hot & some cloudy weather with scattered rains is expected in next week.

Forecast of Pests for next Week:

Whitefly: This pest flourishes best in hot humid climate with optimum temperature 35-42°C with relative humidity below 50%. In comparison of 1st & 2ND week September 2026, cotton pest scouting reports revealed that its population sustain due to prevailing weather conditions.

Jassid: This pest flourishes best in hot and humid climate with optimum temperature 35-40°C with relative humidity above 70%. Based on current & next week weather conditions & prevailing crop growth stage infestation of this pest will decrease during the coming week.

Thrips: This pest flourishes best in hot dry climate with optimum temperature 35-40 °C with relative humidity below 60%. Based on current & next week dry weather conditions & prevailing crop growth stage it is predicted that population of this pest will decrease during the coming week.

Mealy Bug: This pest flourishes best in moderate climate with optimum temperature 35-40°C with relative humidity above 60-80%. Weather Outlook for current week & next week forecast and crop at maturity stage, it is suggested that its population will increase.

Pink Bollworm: This pest flourishes best at moderate climate with optimum temperature 32-40°C with relative humidity above 60-80%. An increase is recorded in PBW moths captured in pheromones traps installed in cotton districts from 4th week August & 1st week September 2026 reports, Based on current & next week weather conditions & prevailing crop growth stage so it is predicted that population of this pest will increase during coming week.

CLCuV: The symptoms of this disease increasing as compared to previous week on susceptible varieties due to increasing whitefly population.

Wilt: The symptoms of this disease may expected to sustain due to coming week weather conditions.

COTTON PEST MANAGEMENT ADVISORY:

Sucking Insect Pests (Whitefly, Jassid & Thrips)

1. Regular pest scouting twice in a week.
2. Avoid excessive use of nitrogenous fertilizers
3. Supply light irrigation and reduce interval between irrigations.
4. Apply yellow sticky traps @ 15-20 per acre and repeat/ replace it at fortnight interval.
5. Use Chrysoperla carnea cards @20 cards/acre.
6. Spray recommended insecticides at ETL with proper dose, time and spray equipment and with proper nozzle i.e. hollow cone nozzle.
7. Ensure proper coverage of spray with optimum swath width and use only power sprayer or tractor mounted boom sprayer, avoid spray with battery operated - knapsacks sprayer.
8. Avoid spraying the insecticide from the same group of insecticide.
9. Preferably use safe chemistry insecticides as these are comparatively safe for beneficial fauna.
10. Spray pesticides preferably in the evening time

Chemical Control of Jassid		
Sr. No.	Name of Pesticides	Name of Pesticides
1	Dinotefuran 20% SG	100 g
2	Flonicamid 50% WDG	60 g
3	Flupyradifurone 200 SL	300 ml
4	Pymetrozine + Dinotefuran 60% WG	100 g

Chemical Control of Thrips		
Sr. No.	Name of Pesticides	Name of Pesticides
1	Spintoram 120 SC	60 mL
2	Chlorfenapyr 360 SC	75 mL
3	Isocycloseram 100 DC	280 mL
4	Abamectin + Thiamethoxam 108 SC	500 mL
5	Spinosad + Chlorfenapyr 37.5% SC	125 ml

Chemical Control of Whitefly		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Pyrafluquinazon 20% WG	200 g
2	Spirotetramat 240 SC + Bio Power (IGR)	125 ml + Adjacent
3	Flonicamid 50% DF	80 g
4	Flonicamid + Spirotetramat 18 WP	200 g
5	Dinotefuran + Spirotetramat 20% SC	250 ml
6	Abamectin + Flonicamid 15.6% WG	350 g
7	Pyriproxifen + Spirotetramat 24% SC	200 ml
8	Pyriproxifen 10.8 EC (IGR)	500 ml
9	Diofenthuran 500 SC	200 ml
10	Cyantraniliprola + Diofenthuran 48 SC	300 ml

Pink Bollworm

- Conduct pest scouting twice a week.
- For monitoring of PBW, install 1–2 pheromone traps per acre, and for control, install 9–12 traps per acre. Replace the pheromone capsules every 15 days.
- At the onset of a pink bollworm infestation, release 20 Trichogramma cards per acre. Reapply the cards every 15 days.

Chemical Control of Pink Bollworm		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Spintoram 120 SC	100-120 ml
2	Gama cyhalothrin 60 CS	100 ml
3	Chlorantraniliprole+Lambda cyhalothrin 150 ZC	160 ml
4	Lambda Cyhalothrin 2.5 EC	330 ml
5	Triazophos 40 EC	1000 ml
6	Deltamethrin + Triazophos 36 EC	500-600 ml
7	Bifenthrin 10 EC	250 ml
8	Beta Cyhalothrin + Triazophos 41.7% EC	400 ml
9	Lufenuron + Indoxacarb + Triazophos 43.6% EC	750-1000 ml
10	Cyantraniliprole + Lufenuron 40 SC	80 ml
11	Deltamethrin + Triazophos 36 EC	500-600 ml

Chemical Control of Mealy Bug		
Sr. No.	Name of Pesticides	Dose Per Acre
1	Profenofos 50 EC	800 ml
2	Malathion 57% EC	500 ml
3	Sulfuxaflor 50% WG/240 SC	40-50 g/80-100 ml
4	Cypermethrin + Profenofos 440 EC	500 ml

Cotton Leaf Curl Virus

- Cotton Leaf Curl Virus (CLCuV) is transmitted rapidly by whitefly. Therefore, its management should include the judicious use of recommended insecticides along with biological control measures.
- Remove and destroy weeds growing in orchards, along water channels (Khals), field bunds and other nearby areas, as these may serve as alternate hosts for whitefly and virus infection.
- For improved crop growth and development, apply a foliar spray of 250 g Zinc Sulphate (33%), 250 g Borax, and 300 g Magnesium Sulphate dissolved in 100 litres of water.